

# metabo *HPT*



## 2022 Commercial Concrete & Masonry Catalog

- Rotary & Demolition Hammers
- Cordless Nailers
- Cutting, Sawing & Grinding
- Cordless Drilling & Fastening



## SAME TOOLS NEW NAME

*Metabo HPT is the new brand name for Koki Holdings America  
formerly part of the Hitachi Group*



Metabo HPT is the new brand name for Koki Holdings America, formerly part of the Hitachi group.

Over the last 70 years, we have become a trusted partner for our customers who rely on our tools every day for their toughest jobs. Metabo HPT continues this legacy. Products retain the same brand identity: same color, same model numbers, same warranties and the same battery interchangeability.

We are committed to continuous innovation and improvement through learning from experience. We support construction industry professionals in doing what they do best—building things that last.

We put experience at the core of our brand philosophy because experience is the best teacher.

Meet Metabo HPT.





**metabo** **HPT**

***INNOVATIVE SOLUTIONS***

***DESIGNED TO MEET THE DEMANDING JOBSITE  
REQUIREMENTS OF COMMERCIAL CONCRETE  
CONTRACTORS***





# WHY CHOOSE METABO HPT ROTARY & DEMOLITION HAMMERS?

## KEY AC BRUSHLESS BENEFITS\*:



*INDUSTRY FIRST POWER TOOL  
WITH AC BRUSHLESS MOTOR*

- No brushes to replace or repair for less downtime and lower maintenance
- Cool running motors provide longer durability
- Smaller & lighter motor with better tool balance
- Stable power supply with IC chip control allows longer extension cords & use of generators

## VARIABLE SPEED SELECTOR & DIAGNOSTIC BENEFITS:

- Speed selector and Overload diagnostic indicator provides the optimum impact and rotation while protecting the tool from overloads

*\*Applies to models: DH40MEY, DH45MEY, DH52MEY,  
DH45ME, H45MEY, H60MEY*



## ALUMINUM HOUSING BODY\* BENEFITS:

*HIGH STRENGTH ALUMINUM DIE CAST WITH  
GLASS REINFORCED RESIN EXTENDS TOOL LIFE*

- Quickly dissipates tool generated heat
- Provides less vibration to the motor
- Provides extra protection against impacts & tool drops



*\*Applies to models: DH40MEY, DH45MEY, DH45ME,  
DH52MEY, H45MEY, H60MEY, H65SD3, H90SG*

## USER VIBRATION PROTECTION:


*Counterweight\* with dual springs allows:*

- Longer operator runtime without fatigue
- Reduced risk of vibration related injuries and nerve damage




*\*Applies to models: DH40MEY, DH45MEY, DH52MEY,  
DH28PFY, H45MEY, H60MEY, H90SG, H65SD3*

**35%**  
VIBRATION REDUCTION\*



*UVP combines internal vibration absorbers and shock absorbing handles for reduced vibration and improved operating efficiency.*



*Dynamic vibration absorber reduces the vibration from demolition by moving a weight and spring in the opposite direction to the movement of the hammer*

*\*Comparison between  
DH45ME and DH45MEY*

**IMPACT ENERGY ACCURATELY MEASURED IN FT-LBS USING MODERN EPTA PROCEDURES**



# SDS MAX ROTARY HAMMERS



## DH36DMAQ2

*Go Multivolt: Combine performance, reliability, and comfort*

### 1-9/16" MultiVolt™ Cordless SDS Max Rotary Hammer (Bare Tool)

**36V**

**MULTI VOLT**



**BRUSHLESS**

**RFC**  
REACTIVE FORCE CONTROL

**LVH**



- MultiVolt: It's Cordless. It's Coded. It's Both!
- Powered by MultiVolt™ 36V battery or optional AC adapter (ET36A). See page 32 for details
- 360° side handle provides additional comfort and control
- Quick release bit system for fast and simple bit replacements for different applications
- Low Vibration Handle (LVH) for reduced user fatigue



#### RFC

Reactive Force Control senses tool overload and stops the tool from rotation in instances where there may be a bit snag or an overload application



#### MODE SELECTOR

2-Modes: Hammer and Hammer Drill for flexibility within a range of applications

#### Specifications

Volts	36
Bit Shank	SDS Max
Capacity	1-9/16"
No-Load Speed	260-590 RPM
Impact Rate	1,420-2,860 BPM
Impact Energy	5.2 ft-lbs
Length	19-17/32"
Weight (w/Battery)	17.4 lbs

#### Includes

Hard Case	373391
Grease	981840
Depth Gauge	971786
Side Handle	330209



## DH40MC

*The "All-Arounder": Your everyday SDS Max tool for most concrete applications*

### 1-9/16" SDS Max Rotary Hammer



115452M

115453M

For up to 3-3/8" drill bits

For up to 6" core bits

- Powerful 10 amp motor for tough jobsite applications
- 5.2 ft-lbs. Impact Energy for busting through hard material
- 2,800 Full Load Max impact rate to quickly remove stubborn materials
- 620 No-Load RPM
- Needle Pin Slip clutch
- 360° side handle
- Soft over-molded handle

#### Capacities

Core Bit	4-1/8"
Drill Bit	1-9/16"

#### Specifications

Amps	10
Shank	SDS Max
Impact Energy	5.2 ft-lbs
No-Load Speed	250-620 RPM
Impact Rate	1,430-2,800 BPM
Full-Load	16.5 m/s <sup>2</sup>
Tri-Axial Vibration	
Length	17-3/5"
Weight	15.6 lbs

#### Includes

Depth Stopper Rod	971786
Side Handle	330209
Hammer Grease	981840
Carrying Case	371122



## DH40MEY

*The "Pro" 1-9/16" Tool: Combine performance, durability, and comfort*

### 1-9/16" SDS Max Rotary Hammer with AHB and UVP

**AC BRUSHLESS**

**AHB**  
ALUMINUM HOUSING BODY

**UVP**  
USER VIBRATION PROTECTION



115452M

115453M

For up to 3-3/8" drill bits

For up to 6" core bits

- Ultra efficient low-maintenance AC Brushless motor that permits the use of extra-long extension cords with reduced power loss
- Superior performance when using a generator due to an internal inverter circuit that regulates uneven power supply
- UVP (User Vibration Protection) technology greatly reduces vibration for comfortable extended use and fewer vibration related injuries
- AHB (Aluminum Housing Body) construction significantly enhances the internal and external durability of the tool

#### Capacities

Core Bit	4-1/8"
Drill Bit	1-9/16"

#### Specifications

Amps	11.3
Shank	SDS Max
Impact Energy	6.4 ft-lbs
No-Load Speed	620 RPM
Impact Rate	2,800 BPM
Full-Load	8.0 m/s <sup>2</sup>
Tri-Axial Vibration	
Length	18-25/32"
Weight	16.5 lbs

#### Includes

Depth Stopper Rod	971786
Side Handle	330209
Hammer Grease	981840
Carrying Case	337594



## DH45ME

*Affordable performance & durability for large diameter applications*

### 1-3/4" SDS Max Rotary Hammer with AHB, Non-UVP

**AC BRUSHLESS**

**AHB**  
ALUMINUM HOUSING BODY



115452M

115453M

For up to 3-3/8" drill bits

For up to 6" core bits

- Ultra efficient low-maintenance AC Brushless motor that permits the use of extra-long extension cords with reduced power loss
- Superior performance when using a generator due to an internal inverter circuit that regulates uneven power supply
- AHB (Aluminum Housing Body) construction significantly enhances the internal and external durability of the tool

#### Capacities

Core Bit	4-29/32"
Drill Bit	1-3/4"

#### Specifications

Power Input	1,500 W
Shank	SDS Max
Impact Energy	9.0 ft-lbs
No-Load Speed	120-270 RPM
Impact Rate	1,200-2,500 BPM
Full-Load	13.5 m/s <sup>2</sup>
Tri-Axial Vibration	
Length	21-1/16"
Weight	19.8 lbs

#### Includes

Depth Stopper Rod	971786
Side Handle	330209
Hammer Grease	981840
Carrying Case	339060





### DH45MEY

The "Pro" 1 3/4" Tool: Combines performance, durability, and comfort

1-3/4" SDS Max Rotary Hammer with AHB and UVP

AC BRUSHLESS

FHB

UVP



Low Vibration!

- Ultra efficient low-maintenance AC Brushless motor that permits the use of extra-long extension cords with reduced power loss
- Superior performance when using a generator due to an internal inverter circuit that regulates uneven power supply
- UVP (User Vibration Protection) technology greatly reduces vibration for comfortable extended use and fewer vibration related injuries
- AHB (Aluminum Housing Body) construction significantly enhances the internal and external durability of the tool

Specifications	
Power Input	1,500 W
Shank	SDS Max
Impact Energy	9.0 ft-lbs
No-Load Speed	120-270 RPM
Impact Rate	1,200-2,500 BPM
Full-Load	8.8 m/s <sup>2</sup>
Tri-Axial Vibration	
Length	21-1/16"
Weight	20.9 lbs

Includes	
Depth Stopper Rod	971786
Side Handle	330209
Hammer Grease	981840
Carrying Case	339060

115452M 115453M



For up to 3-3/8" drill bits

For up to 6" core bits

Dust Collection Attachments page 10

Capacities	
Core Bit	4-29/32"
Drill Bit	1-3/4"



### DH52MEY

The "Pro Monster": Go after your ultimate applications!

2-1/16" SDS Max Rotary Hammer with AHB and UVP

AC BRUSHLESS

FHB

UVP



Low Vibration!

- Highest impact energy and largest core bit capacity for the most demanding rotary hammer applications
- Ultra efficient low-maintenance AC Brushless motor that permits the use of extra-long extension cords with reduced power loss
- Superior performance when using a generator due to an internal inverter circuit that regulates uneven power supply
- UVP (User Vibration Protection) technology greatly reduces vibration for comfortable extended use and fewer vibration related injuries
- AHB (Aluminum Housing Body) construction significantly enhances the internal and external durability of the tool

Specifications	
Power Input	1,500 W
Shank	SDS Max
Impact Energy	13.9 ft-lbs
No-Load Speed	110-260 RPM
Impact Rate	1,000-2,200 BPM
Full-Load	9.8 m/s <sup>2</sup>
Tri-Axial Vibration	
Length	23-1/32"
Weight	25.3 lbs

Includes	
Depth Stopper Rod	971786
Side Handle	330209
Hammer Grease	981840
Carrying Case	339066

115452M 115453M



For up to 3-3/8" drill bits

For up to 6" core bits

Dust Collection Attachments page 10

Capacities	
Core Bit	6-1/4"
Drill Bit	2-1/16"



### DH38YE2

Go spline with a field proven tool!

1-1/2" Spline Shank Rotary Hammer, 2 Mode



- Delivers high-speed drilling and forcible chipping in a more ergonomic, lightweight tool body that produces less noise and vibration
- Mode selector for hammer-only or hammer/drill modes
- Sealed grease system ensures minimal maintenance
- Dust-resistant cover protects tool for extended maintenance free operation
- Safety clutch improves user protection in the event of a bound bit

Specifications	
Amps	8.4
Shank	Spline
Impact Energy	4.0 ft-lbs
No-Load Speed	620 RPM
Impact Rate	2,800 BPM
Length	16-11/32"
Weight	14.1 lbs

Includes	
Side Handle	330209
Depth Stopper	971786
Dust Cover	993245
Case	331965

115452M 115453M



For up to 3-3/8" drill bits

For up to 6" core bits

Dust Collection Attachments page 10

Capacities	
Core Bit	4-13/64"
Drill Bit	1-1/2"



**DH52MEY**  
2-1/16" SDS Max  
Rotary Hammer w AHB and UVP



# SDS PLUS ROTARY HAMMERS



## DH18DBLQ4

*Lightweight for overhead applications - Optional HEPA dust collection attachments*  
**18V Cordless SDS Plus Rotary Hammer (Tool Body Only)**

BRUSHLESS



- Compatible with all Metabo HPT 18V and MultiVolt™ Lithium Ion slide type batteries for fade free power (batteries and charger sold separately)
- Features Brushless Motor Technology for more run time, increased power and extended durability with essentially no maintenance
- Reactive Force Control to ensure user safety
- On-Tool LED to illuminate dimly lit work areas



Dust Collection Attachments page 10

### Capacities

Steel	1/2"
Wood	1-1/16"
Concrete	1"
Core Bit	2"

### Specifications

Volts	18
Shank / Modes	SDS Plus / 3
Impact Energy	1.6 ft-lbs
No-Load Speed	0-1,050 RPM
Impact Rate	0-3,950 BPM
Battery Type	Lithium Ion Slide
Length	13-13/16"
Weight (without battery)	6.8 lbs

### Includes

Side Handle	335273
Depth Gauge	303709

### Optional

18V Li-Ion Slide Battery (BSL1830)	339882M
18V Li-Ion Slide Battery (BSL1815X)	333353M
14.4V-18V Li-Ion Universal Rapid Charger	UC18YFSL
Backwards Compatible w/ 372121M	



## DH36DPA

*Go Multivolt: Super fast drilling for Pro use with 36V power*  
**36V MultiVolt SDS Plus 1-1/8" Rotary Hammer**

36V



BRUSHLESS



- GO ALL DAY: Can be powered by a 36V MultiVolt battery OR MultiVolt AC Adapter with cord (ET36A, see page 32 for details)
- Reactive Force Control senses tool overload and stops the tool from rotation in instances where there may be a snag or an overload application
- Superior Performance - Drills like corded
- Approximately 120 holes per charge with 1-1/8" bit
- Ergonomically designed handle and drill bit head alignment making applying force easier
- Mode Selector - 3 Modes: Hammer Drilling, Chipping, and Drilling



Dust Collection Attachments page 10

### Specifications

Volts	36
Shank / Modes	SDS Plus / 3
Capacity	1-1/8"
No-Load Speed	0-1,100 RPM
Impact Rate	0-4,300 BPM
Impact Energy	2.2 ft-lbs
Length	14.5"
Weight w/ 4.0Ah MV Battery	12.0 lbs

### Includes

18V/36V MultiVolt 4.0Ah/8.0Ah Lithium-Ion Battery	372121M
Rapid Charger w/ USB Port	UC18YSL3
Case	337134
Depth Gauge	303709
Battery Cover	329897



## DH26PF

*Good all-around performance and value*  
**1" SDS Plus Rotary Hammer, 3 Mode, VSR**



- Fast drilling speed
- Air channel, ball bearing construction and internal pressure control mechanism adapted from larger hammers to improve durability and performance in demo and chipping mode
- New larger side mounted change lever makes mode changes easy and quick, even with gloves
- One push bit mounting makes changing bits and applications quick and easy

308776

Dust Collection Attachments page 10

115451M

### Capacities

Concrete/Solid Bit	1"
Concrete/Core Bit	2"

### Specifications

Amps	7.5
Shank	SDS Plus
Impact Energy	2.0 ft-lbs
No-Load Speed	0-1,100 RPM
Impact Rate	0-4,300 BPM
Weight	6.7 lbs

### Includes

Side Handle	335273
Depth Gauge	310331
Plastic Case	370155



## DH28PFY

*Super-fast drilling with vibration protection for all day pro use*  
**1-1/8" SDS Plus Rotary Hammer with UVP, 3 Mode, VSR**

UVP  
USER VIBRATION PROTECTION



- UVP (User Vibration Protection) technology greatly reduces vibration for comfortable extended use and fewer vibration related injuries
- Fastest drilling speed on the market
- Air channel, ball bearing construction and internal pressure control mechanism adapted from larger hammers to improve durability and performance in demo and chipping mode
- New larger side mounted change lever makes mode changes easy and quick, even with gloves

Dust Collection Attachments page 10

308776

115451M

### Specifications

Amps	8.0
Shank	SDS Plus
Impact Energy	2.2 ft-lbs
No-Load Speed	0-1,100 RPM
Impact Rate	0-4,300 BPM
Weight	6.9 lbs

### Includes

Side Handle	335273
Depth Gauge	310331
Plastic Case	370155

### Capacities

Concrete/Solid Bit	1-1/8"
Concrete/Core Bit	2"





**H41MB2**  
SDS Max Demolition Hammer

*Lightweight and maneuverable. Great for light chipping & tile removal*

### H41MB2

#### 11lb SDS Max Chipping Hammer



115463M

Dust Collection Attachment  
page 10

- Variable lock mechanism for quick and easy chisel adjustment
- Compact and light weight for extended use with less fatigue
- Reduced motor vibration through increased rigidity in the motor housing
- Efficient cooling of the cylinder case for longer tool life
- LVH (Low Vibration Handle) for reduced worker fatigue

#### Specifications

Amps	8.4
Shank	SDS Max
Impact Energy	5.2 ft-lbs
Impact Rate	3,000 BPM
Length	16-13/16"
Weight	11.2 lbs

#### Includes

Side Handle	317103
Bull Point	724963M
Case	326511



### H45MEY

#### AC Brushless and User Vibration Protection for extended use by the Pros 16lb SDS Max Demolition Hammer with AHB and UVP



115463M

Dust Collection Attachment  
page 10

- Ultra efficient low-maintenance AC Brushless motor that permits the use of extra-long extension cords with reduced power loss
- Superior performance when using a generator due to an internal inverter circuit that regulates uneven power supply
- UVP (User Vibration Protection) technology greatly reduces vibration for comfortable extended use and fewer vibration related injuries
- AHB (Aluminum Housing Body) construction significantly enhances the internal and external durability of the tool
- 4 stage electronic speed control matches chipping speed with application
- Protection against electronic overload, overheating, and irregular voltage with onboard indicator lights that prevent tool damage

#### Specifications

Amps	11.3
Shank	SDS Max
Impact Energy	7.4 ft-lbs
Impact Rate	1,430-2,850 BPM
Full-Load	8.0 m/s <sup>2</sup>
Tri-Axial Vibration	
Weight	16.1 lbs

#### Includes

Side Handle	317103
Bull Point	724963M
Case	326511



### H60MEY

#### For heavy demolition, outstanding impact energy, performance, and comfort 27lb SDS Max Demolition Hammer with AHB and UVP



115463M

Dust Collection Attachment  
page 10

- Ultra efficient low-maintenance AC Brushless motor that permits the use of extra-long extension cords with reduced power loss
- Superior performance when using a generator due to an internal inverter circuit that regulates uneven power supply
- UVP (User Vibration Protection) technology greatly reduces vibration for comfortable extended use and fewer vibration related injuries
- AHB (Aluminum Housing Body) construction significantly enhances the internal and external durability of the tool
- 4 stage electronic speed control matches chipping speed with application
- Protection against electronic overload, overheating, and irregular voltage with onboard indicator lights that prevent tool damage

#### Specifications

Amps	14.0
Shank	SDS Max
Impact Energy	13.3 ft-lbs
Impact Rate	1,500-2,100 BPM
Full-Load	11.0 m/s <sup>2</sup>
Tri-Axial Vibration	
Weight	26.9 lbs

#### Includes

Side Handle	317103
Bull Point	724963M
Case	326511





## H65SD3

*Highest impact energy in its class with impressive vibration reduction*  
**44lb 1-1/8" Hex Demolition Hammer with AHB and UVP**



- Powerful 1,240 watt input motor produces a full load impact rate of 1,400 BPM
- UVP (User Vibration Protection) technology greatly reduces vibration for comfortable extended use and fewer vibration related injuries
- AHB (Aluminum Housing Body) construction significantly enhances the internal and external durability of the tool
- Large switch with lock-on feature for easy operation and less fatigue
- 360° cushioned auxiliary handle located between tool body and bit cylinder to provide optimal grip, control, and comfort

### Specifications

Amps	10.8
Shank	1-1/8" Hex
Impact Energy	25.0 ft-lbs
Impact Rate	1,400 BPM
Length	33-3/8"
Weight	44.3 lbs

### Includes

Plastic Rolling Case	339664
----------------------	--------



## H90SG

*Powerful breaking performance while gentle on the user*  
**70lb 1-1/8" Hex Breaker with UVP and AHB**




- 42.6 ft-lbs (70J) of impact energy
- UVP (User Vibration Protection) technology greatly reduces vibration for comfortable extended use and fewer vibration related injuries
- Vibration absorbing main handle produces low full-load vibration, resulting in less user fatigue and greater productivity
- AHB (Aluminum Housing Body) construction significantly enhances the internal and external durability of the tool
- Improved hammering mechanism more efficiently transfers energy to the bit for increased demolition performance
- Features a sealed grease system and auto-stop brushes for minimal maintenance and durability

### Specifications

Amps	15
Shank	1-1/8" Hex
Bit Types	Collared or Slotted
Impact Energy	42.6 ft-lbs
Impact Rate	1,000 BPM
Weight	70.5 lbs

### Includes

6mm Hex Bar Wrench	872422
Hammer Truck	207011M



**H90SG**  
 1-1/8" Hex 70lb Breaker with UVP





### RP350YDH

Superior dust containment with OSHA compliant advanced filter cleaning  
9.2 Gallon Wet/Dry Commercial HEPA Vacuum



- 9.2 Gallon durable polyethylene tank
- Powerful 130 CFM of suction power for material collection
- Electromagnetic dual filter cleaning
- Current control knob maximizes suction
- 2 HEPA Filters that comply w/ OSHA regulation
- Large rear wheels & lockable front casters
- Water level detection with auto shut-off to prevent overflow
- Power tool actuated outlet controls the on/off operation of the vacuum with the power tool switch
- Electronic after-run feature clears the hose of debris when the vacuum is shut down
- Sequential Dual Filter cleaning: Maintains dust containment by alternating filters during cleaning

Specifications	
Amps	11
Tank Material Capacity (Wet)	5.8 gal
(Dry)	6.6 gal
Suction	130 CFM
Tool Actuated Outlet	Yes
Automatic Filter Cleaning	Yes
Weight	37.5 lbs

Includes	
(2) HEPA Filters	338634
Poly Bag with closures	750463
Sealing Plug for Tank	338651
Step Down Reducer	337527
10' Hose	373220
Onboard Accessory Caddy (installed)	338653

338651



Replacement HEPA Filters

115453M



5pc Pack Replacement Poly Bags

338633



Polyester Filter Cartridge

370132



Fleece Filter Bags (5pcs)

## VACUUM ACCESSORIES



Compatible With RP350YDH vacuum

**338651**  
Replacement HEPA Filter Cartridge (2 Pack)

- OSHA reg. HEPA filter
- Removes harmful air particles



Compatible With RP350YDH vacuum

**338633**  
Polyester Filter Cartridges

- Dust Class M
- Also suitable for absorbing graphite/toner and liquids



Compatible With RP350YDH vacuum

**750463**  
Replacement Poly Bag

- Powered by Li-Ion Battery
- HEPA filter
- 12.36 CFM airflow rate



Compatible With RP350YDH vacuum

**370132**  
Fleece Filter Bags (5 pcs)

- Non-woven filter bags
- Contains harmful particles



Compatible w/ Metabo HPT Spline + SDS Max Rotary Hammers

**115453M**  
Core Bit Dust Collection Attachment

- Attaches to surfaces with suction provided by vacuum
- Accepts core bits between 2-3/4" and 6-7/8"



Compatible w/ Metabo HPT Spline and SDS Max Rotary Hammers

**115452M**  
Dust Collection Attachment

- Attaches to surfaces with suction provided by vacuum
- Does not accept bits over 3-3/8"



Compatible With RP350YDH vacuum

**337527**  
Reducer Sleeve

- Adapt between multiple attachments
- Prevent loss of power



Compatible w/ any Metabo HPT SDS Plus Rotary Hammer

**115451**  
Dust Collection Attachment

- Attaches to surfaces with suction provided by vacuum
- Does not accept bits over 9/16"



Compatible w/ Metabo HPT Hammer Drills & SDS Plus Rotary Hammers

**308776**  
Dust Collection Attachment

- Built-in depth of drill adjustment
- Vacuum connection



Compatible w/ Metabo HPT SDS Max Demolition Hammers

**115463M**  
SDS Max Demolition Hammer Dust Collection Attachment

- Attaches to the tool and vacuum
- Includes vacuum connection



Compatible With RP350YDH vacuum

**338634**  
Replacement stopper

- Prevent accidental suction
- Prevent leakage and spills



Compatible With RP350YDH vacuum

**373220**  
Replacement 1.35"x10.5' Vacuum Hose

- Compatible with attachments
- Maintains solid seal



# REBAR CUTTER / BENDERS



**36V MultiVolt™ Rebar Bender/Cutter**  
NEW DUAL POWER: CORDLESS/CORDED

**MULTI VOLT**

- Powered by MultiVolt™ 36V battery or optional AC adapter (ET36A)
- Manual mode allows for minor adjustments

Cuts	2.6 Seconds	270 Cuts Per Charge*
90° Bends	1.9 Seconds	520 Bends at 90° Per Charge*

(\*36V, 4.0Ah MultiVolt™ Battery)

VB3616DA



## VB3616DA

The world's only cordless tool that makes bending/cutting rebar easy, portable, & fast

### 36V MultiVolt™ Cordless Rebar Bender/Cutter

2 YEAR LEAD BATTERY WARRANTY  
1 YEAR CHARGER WARRANTY

**36V**



**BRUSHLESS**



- MultiVolt™ It's Cordless, It's Coded, It's BOTH!
- Powered by MultiVolt™ 36V battery or optional AC adapter (ET36A). See page 32 for details
- Uniformly bends up to No.5 (3/8", 1/2", 5/8") Grade 60 rebar at a maximum angle of 180 degrees
- Approximately 270 cuts per charge (36V 4.0Ah)
- Approximately 520 bends at 90° per charge (36V 4.0Ah)
- Manual mode allows for minor adjustments
- Available accessory rollers for different radius bends:  
-D62: 319714  
-D50: 321446  
-D38: 321445

#### Capacities

Rebar Up to 5/8" (#5) Grade 60

#### Specifications

Cut Time	2.6 Sec
Bend Time	3.8 Sec
Switch	Variable Speed
Number of Bends at Once	#3-3 #4-2 #5-1
Weight (w/ Battery)	42.3 lbs

#### Includes

(2) 36V 4.0Ah MultiVolt™ Batteries	372121M (BSL36B18)
Deflection Guard	320914
1 Pair Cutter Set (on tool)	319706
4mm Wrench (on tool)	319699
Carrying Case	
Rapid Charger	UC18YSL3

#### Optional

MultiVolt™ AC Adapter ET36A



## VB16Y

World's most cost effective & productive tool for bending/cutting up to #5 Rebar

### Rebar Bender/Cutter



- Uniformly bends up to No.5 (3/8", 1/2", 5/8") Grade 60 rebar at a maximum angle of 180 degrees
- Variable speed trigger with safety lock provides manual-like precision and control over the bending speed
- Extremely low profile design (18.4"L x 8.5"H x 9.1"W), yet extremely stable
- Portable design facilitates maneuverability and ease of use
- Available accessory rollers for different radius bends:  
-D62: 2.5" Center Roller Radius - 319714  
-D50: 2.0" Center Roller Radius - 321446  
-D38: 1.5" Center Roller Radius - 321445

#### Specifications

Amps	8.0
Cut Time	3.1 sec
Bend Time	5.1 sec
Number of Bends at Once	#3-2 #4-1 #5-1
Capacity	5/8" Grade 60
Switch	Variable Speed
Weight	39.7 lbs

#### Includes

Deflection Guard	320914
1 Pair Cutter Set (on tool)	319706
4mm Wrench (on tool)	319699


#### Capacities

Rebar Up to 5/8" (#5) Grade 60



# WHY METABO HPT CORDLESS NAILERS?

Featuring Metabo HPT's Air Spring Drive System



1) At Rest

2) Start of Drive Cycle

3) Driving

## FEELS LIKE PNEUMATIC

**Uses Compressed Air to Drive Each Nail**

- Zero ramp up time
- 2-3 nails per second
- Recoil that feels like a pneumatic nailer
- No refilling of air tank required\*

\* Air tank does not require refill unless there is a malfunction of material components that require service center attention

### KEY AIR SPRING DRIVE BENEFITS

- Cylinder structure and spring compression system reproduces just like Pneumatic nailer use feeling
- Zero ramp up time & quicker response time between drives (2-4 nails per second)
- Fast speed technology allows for a massive productivity boost vs. hand driving Duplex nails
- Stable nailing power delivers consistent nail embedment with professional finish look

### MULTIVOLT BENEFITS

- High power battery (36V) which optimizes the tool performance up to equivalent AC tool performance
- 36V MultiVolt batteries are backward compatible with Metabo-HPT 18V slide type cordless tools (4.0Ah runtime in 36V provides 8.0Ah runtime in a 18V tool)
- Multivolt batteries are operated at a temperature as low as 0°C / 32°F, providing you with peace of mind when you work in cold weather



**ALL PART OF THE**

# MULTIVOLT SYSTEM

**COMPATIBLE BATTERIES:**

\*\*Compatible with 18V nailers only

1.5AH\*\*



COMPACT  
3.0AH\*\*



18V/5.0AH  
36V/2.5AH



18V/8.0AH  
36V/4.0AH





# CORDLESS NAILERS

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY  
2 YEAR LITHIUM BATTERY WARRANTY  
1 YEAR CHARGER WARRANTY

**36V**  
MULTI VOLT

**21°**  
DUPLIX NAIL

**PTIA 2020**  
TOOL INNOVATION AWARDS WINNER

**BRUSHLESS**


**16D 8D 6D**

## NR3675DD

*World First! Ideal for building reusable structures like concrete forms & scaffolding*  
**36V MultiVolt™ 3-1/2" Cordless 21° Plastic Strip Duplex Nailer**



- MultiVolt™: It's Cordless, It's Cored, It's BOTH!
- Powered by MultiVolt™ 36V battery or optional AC adapter (ET36A). See page 32 for details
- Air Spring Drive System delivers similar performance to a pneumatic tool
- Fires 2 nails per second
- Brushless motor for longer run time per charge, less maintenance and increased durability
- 900 Nails Per Charge
- Tool-less depth of drive
- Dry-fire lockout
- Selective actuation: Contact and sequential modes



Specifications	
Volts	36
Nail Capacity	35
Magazine Angle	21°
Nails Per Charge	900
Battery Type	Lithium Ion Slide
Weight (with BSL36A18 battery)	10.8 lbs
Includes	
(1) 36V Compact 2.5Ah Li-Ion Battery (BSL36A18)	371751M
Charger	UC18YSL3
Safety Glasses	875769
Carrying Bag	372294M
3mm Hex Wrench	943277
4mm Hex Wrench	944458



- DUPLIX FASTENERS (16D, 8D, 6D)**  
Provides excellent grip force with easy & quick removal for temporary wood structures
- SIMPLIFIED CONTROL PANEL**  
Easy to read and select single fire or bump fire modes
- DRY FIRE LOCKOUT SYSTEM**  
Prevents nailer from driving when fasteners are low
- TOOL-LESS DEPTH OF DRIVE**  
Precise fastener setting

### AVAILABLE DUPLIX FASTENERS:

Item Code	Description
50214-6D	2-1/4" x .131" SM BS
50234-8D	2-3/4" x .131" SM BS
50312-16D	3-1/2" x .131" SM BS

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY  
2 YEAR LITHIUM BATTERY WARRANTY  
1 YEAR CHARGER WARRANTY

**36V**  
MULTI VOLT

**MC**  
METAL CONNECTOR NAIL


**BRUSHLESS**

## NR3665DA

*Go Cordless with easy & accurate metal connector nailing: 2 nails/second, 900/charge*  
**36V MultiVolt™ 2-1/2" Cordless Metal Connector Nailer Kit**



- MultiVolt™: It's Cordless, It's Cored, It's BOTH!
- Powered by MultiVolt™ 36V battery or optional AC adapter (ET36A). See page 32 for details
- Air Spring Drive System delivers similar feel as a pneumatic tool
- Brushless Motor Technology allows for more runtime, increased power, and extended durability with essentially no maintenance
- Zero ramp up time
- Side lock prevents accidental firing
- Pivoting hook keeps the tool within arm's reach



Specifications	
Volts	36
Nail Capacity	31
Magazine Angle	34°
Nails Per Charge	900
Battery Type	Lithium Ion Slide
Weight (with BSL36A18 battery)	10.8 lbs
Includes	
(1) 36V Compact 2.5Ah Li-Ion Battery (BSL36A18)	371751M
Charger	UC18YSL3
Safety Glasses	875769
Carrying Bag	372294M
3mm Hex Wrench	943277
4mm Hex Wrench	944458



**NR3665DA**  
2-1/2" 36V Cordless  
Metal Connector Nailer



LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY  
**2 YEAR** LITHIUM BATTERY WARRANTY  
**1 YEAR** CHARGER WARRANTY

**36V**

**MULTI VOLT**

**21°**

**BRUSHLESS**



Also available  
NR3690DRQ4  
(Bare tool only)


*Go Cordless with pneumatic performance for plastic collated round head nails*

### NR3690DR

**3-1/2" 36V MultiVolt™ Cordless 21° Framing Nailer Kit**

- MultiVolt™: It's Cordless, It's Corded, It's BOTH!
- Powered by MultiVolt™ 36V battery or optional AC adapter (ET36A). See page 32 for details
- Air Spring Drive System delivers similar feel as a pneumatic tool
- Dry fire lock out
- Fires 3 nails per second
- 900 nails per charge with included battery
- Brushless Motor Technology allows for more runtime, increased power, and extended durability with essentially no maintenance
- Zero ramp up time
- Side lock prevents accidental firing
- Pivoting hook keeps the tool within arm's reach

Plastic Strip Collation, 21°  
.113-.131



#### Specifications

Volts	36
Nail Capacity	37
Magazine Angle	21°
Nails Per Charge	900
Battery Type	Lithium Ion Slide
Weight (with BSL36A18 battery)	10.8 lbs

#### Includes

(1) 36V Compact 2.5Ah Li-Ion Battery (BSL36A18)	371751M
Rapid Charger w/ USB Port	UC18YSL3
3mm Hex Wrench	943277
4mm Hex Wrench	944458
Carrying Bag	372294M
Safety Glasses	875769

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY  
**2 YEAR** LITHIUM BATTERY WARRANTY  
**1 YEAR** CHARGER WARRANTY

**36V**

**MULTI VOLT**

**30°**

**BRUSHLESS**



Also available  
NR3690DCQ4  
(Bare tool only)


*Go Cordless with pneumatic performance for paper collated clipped head nails*

### NR3690DC

**3-1/2" 36V MultiVolt™ Cordless 30° Framing Nailer Kit**

- MultiVolt™: It's Cordless, It's Corded, It's BOTH!
- Powered by MultiVolt™ 36V battery or optional AC adapter (ET36A). See page 32 for details
- Air Spring Drive System delivers similar feel as a pneumatic tool
- Dry fire lock out
- Fires 3 nails per second
- 900 nails per charge with included battery
- Brushless Motor Technology allows for more runtime, increased power, and extended durability with essentially no maintenance
- Zero ramp up time
- Side lock prevents accidental firing
- Pivoting hook keeps the tool within arm's reach

Paper Strip Collation, 21°  
Clipped or Offset Head  
.113-.131



#### Specifications

Volts	36
Nail Capacity	47
Magazine Angle	30°
Nails Per Charge	900
Battery Type	Lithium Ion Slide
Weight (with BSL36A18 battery)	10.6 lbs

#### Includes

(1) 36V Compact 2.5Ah Li-Ion Battery (BSL36A18)	371751M
Rapid Charger w/ USB Port	UC18YSL3
3mm Hex Wrench	943277
4mm Hex Wrench	944458
Carrying Bag	372294M
Safety Glasses	875769

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY  
**2 YEAR** LITHIUM BATTERY WARRANTY  
**1 YEAR** CHARGER WARRANTY

**18V**

**MULTI VOLT**

**18 GA**

**BRUSHLESS**



Also available  
NT1850DFQ4  
(Bare tool only)


*Go Cordless with pneumatic performance! Lightweight with 3 nails/sec, 1650/charge*

### NT1850DF

**2" 18V MultiVolt Compact Cordless 18-Gauge Brad Nailer**

- Air Spring Drive System offers similar performance to a pneumatic nailer
- Powered by Metabo HPT's Compact 3.0Ah Lithium Ion slide-type battery for fade free power
- 1,650 nails per charge with compact 3.0Ah battery
- 30% smaller and 31% lighter than previous model
- Tool-less depth of drive adjustment for flush drives into various materials
- Built-in LED light

18-Gauge



#### Specifications

Volts	18
Nail Capacity	100
Magazine Angle	Straight
Nails Per Charge	1,650
Battery Type	Lithium Ion Slide
Weight (w/ battery)	5.3 lbs

#### Includes

(1) 18V Compact 3.0Ah Battery	339782M
BSL1830C	
Rapid Charger	UC18YFSL
No Mar Nose Cap	886846
Safety Glasses	875769
Carrying Bag	371108



**NT1850DF**  
2" 18V Compact Cordless  
18Ga Brad Nailer



**Framing,  
Roofing,  
Siding**



**Finish  
Stapling &  
Specialty**



LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY  
**2 YEAR** LIMITED WARRANTY  
**1 YEAR** CHARGER WARRANTY

**18V**  
MULTI VOLT

**15 GA**  
ANGLED NAIL

**BRUSHLESS**



Also available  
NT1865DMASQ7  
(Bare tool only)

## NT1865DMAS

*Go Cordless with pneumatic performance! Lightweight with 3 nails/sec, 1,100/charge*

**2-1/2" 18V MultiVolt Cordless 15-Gauge Angled Finish Nailer**

- Air Spring Drive System delivers similar performance to a pneumatic tool
- Powered by Metabo's HPT's Compact 3.0Ah Lithium Ion slide-type battery for fade free power
- 1,100 Nails per charge using compact 3.0Ah battery
- Selective actuation switch lets the user easily select contact or sequential nailing
- Tool-less depth of drive adjustment
- Integrated belt hook so the tool is always close at hand
- Built-in LED light
- Dry-fire Lockout

15-Gauge, 34°



### Specifications

Volts	18
Nail Capacity	100
Magazine Angle	34°
Nails Per Charge	1,100 Nails
Battery Type	Lithium Ion Slide
Weight (with BSL1830C battery)	7.5 lbs

### Includes

(1) 18V Compact 3.0Ah Battery	339782M
BSL1830C	
Rapid Charger	UC18YFSL
No Mar Nose Cap	371094
Safety Glasses	875769
Carrying Bag	371108M

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY  
**2 YEAR** LIMITED WARRANTY  
**1 YEAR** CHARGER WARRANTY

**18V**  
MULTI VOLT

**16 GA**  
STRAIGHT NAIL

**BRUSHLESS**



Also available  
NT1865DMSQ7  
(Bare tool only)


## NT1865DMS

*Go Cordless with pneumatic performance! Lightweight with 3 nails/sec, 1,500/charge*

**2-1/2" 18V MultiVolt Cordless 16-Gauge Straight Finish Nailer**

- Air Spring Drive System delivers similar performance to a pneumatic tool
- Powered by Metabo's HPT's Compact 3.0Ah Lithium Ion slide-type battery for fade free power
- Selective actuation switch lets the user easily select contact or sequential nailing
- Tool-less depth of drive adjustment
- Integrated belt hook so the tool is always close at hand
- Built-in LED light
- Dry-fire Lockout

16-Gauge



### Specifications

Volts	18
Nail Capacity	100
Magazine Angle	Straight
Nails Per Charge	1,500 Nails
Battery Type	Lithium Ion Slide
Weight (with BSL1830C battery)	7.3 lbs

### Includes

(1) 18V Compact 3.0Ah Battery	339782M
BSL1830C	
Rapid Charger	UC18YFSL
Safety Glasses	875769
Carrying Bag	371108M



# WHY CHOOSE METABO HPT FOR CORDLESS DRILLING & FASTENING?


### KEY TRIPLE HAMMER\* BENEFITS

\*Triple Hammer Technology applied models: WH36DB, WH18DBDL2

The hammer has three strikers (instead of the conventional dual striker) and therefore provides:

- Faster impact & tightening speed
- More fastening torque with less slippage from the screw head
- Greater comfort with less vibrations

Mechanism of the Triple Hammer



Conventional model

WH36DB, WH18DBDL2 (Triple Hammer)



### KEY IP56 BENEFITS

IP56 applied models: WH36DB, WH18DBDL2, WR36DA, WR36DB, WR18DBDL2, WR36DE


- Metabo-HPT is one of the very few tool manufacturers designing tools with IP56 rating to withstand harsh jobsite conditions
- Meets IP56 Protection Standard from IEC - which prevents damage to the tool exposed to dust and unexpected rain



### REACTIVE FORCE CONTROL\* BENEFITS

RFC Technology applied models: DS36DA, DV36DA, DS18DBL2, DV18DBL2

Reactive Force Control (RFC) stops the motor when the tool bit gets caught therefore preventing harmful twisting of the tool.



## WH18DBDL2C

The 18V Pro Tool with advanced features for added durability, performance, & comfort

### 18V Cordless Triple Hammer Impact Driver

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY  
2 YEAR LIMITED WARRANTY  
1 YEAR CHARGER WARRANTY

**18V**

TRIPLE HAMMER

BRUSHLESS

IP56



Also available WH18DBDL2Q4 (bare tool only)

- 4-Mode Selector: ranging from 0-900/2,900 RPM to conveniently tackle a wide variety of applications
- Responsive Variable Speed Trigger: provides complete control during the application
- Powered by Metabo HPT's Compact 3.0Ah Lithium-Ion slide-type battery: for less weight in a more compact size, while also providing fade free power and protection from over-charge, over-discharge and over-load
- On-Tool Battery Indicator: to monitor battery status for less down time
- On-Tool LED Light: effectively illuminate dark work spaces
- Lightweight at 2.9 lbs: reduce fatigue during extended or elevated use

#### Specifications

Volts	18
Drive	1/4" Hex
No-Load Speed	0-2,900 RPM
Impact Rate	0-4,000 IPM
Max Torque	1,832 in-lbs
Battery Type	Lithium Ion Slide
Weight (w/BSL1830C battery)	2.9 lbs

#### Includes

(2) 18V Compact 3.0Ah Batteries BSL1830C	333353M
Rapid Charger	UC18YSL3
Belt Hook	
Bag	375801

## WH36DBG

The 36V Pro Tool with advanced features for added durability, performance, & comfort

### 36V MultiVolt™ Cordless Triple Hammer Impact Driver Kit

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY  
2 YEAR LIMITED WARRANTY  
1 YEAR CHARGER WARRANTY

**36V**

MULTI VOLT

TRIPLE HAMMER

BRUSHLESS

IP56



Also available WH36DBQ4 (bare tool only)

- **MultiVolt™**: It's Cordless, It's Corded, It's BOTH!
- Screws Per Charge: 990 (3" drywall screws into wood)
- Triple Hammer Technology (via incorporating a third impacting anvil) increases driving speed, beats per minute, torque and decreases vibration
- 1/4" keyless hex drive saves time as bits can be changed quickly and easily
- Responsive variable speed trigger provides complete control during the application
- IP56 provides a degree of dust and water resistance



#### 4-STAGE SPEED SELECTION CONTROL BOARD

Allows up to 1,859 in-lbs of torque, 0-2,900 RPM, & 0-4,100 IPM for precision and control during a variety of applications, and the self-drilling screw mode adjusts the starting speed when catching the screw to avoid stripping

#### Specifications

Volts	36
Torque	1,859 in-lbs
No-Load Speed	0-2,900 RPM
Impact Rate	0-4,100 IPM
Variable Speed	Trigger
Belt Hook	Equipped
LED Light	Equipped
Weight (w/Battery)	3.5 lbs

#### Includes

(2) MultiVolt 2.5 Ah Batteries	371751M
Rapid Charge w/USB Port	UC18YSL3
Belt Hook	
Carrying Case	339778



LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY  
**2 YEAR** LITHIUM BATTERY WARRANTY  
**1 YEAR** CHARGER WARRANTY

## WR18DBDL2

*All-weather jobsite field proven tool in a compact form for precise fastening*  
**1/2" Square Drive 18V Cordless Impact Wrench**



- Compatible with all Metabo HPT 18V & 36V MultiVolt™ batteries
- Produces 225 ft-lbs of turning torque, 0-3,600 BPM and up to 2,700 RPM to power through the toughest jobs
- 4-Stage electronic speed switch for precision and control during a variety of applications
- IP56 rating provides dust and water resistance

Also available  
WR18DBDL2Q4  
(Bare tool only)

Specifications	
Volts	18
Drive	1/2" Square
No-Load Speed	0-2,700 RPM
Impact Rate	0-3,600 IPM
Max Torque	225 ft-lbs
Weight	3.3 lbs

Includes	
Case	337852
Rapid Charger	UC18YFSL
Belt Hook	

**18V**

**BRUSHLESS**

**IP56**

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY

## WR36DE

*All-weather compact tool with Auto-Stop Function*  
**36V MultiVolt™ Cordless 1/2" Mid-Torque Impact Wrench Kit**



- GO ALL DAY: Can be powered by a 36V MultiVolt battery OR MultiVolt AC Adapter (ET36A). See page 32 for details
- Responsive variable speed trigger for complete control during the application
- Auto-stop system prevents breaking bolts from over-tightening
- Battering damping system improves life of battery terminal
- 4-Stage electronic speed switch for precision and control during a variety of applications
- IP56 rating provides dust and water resistance

Also available  
WR36DEQ4  
(bare tool only)



**1/2" SQUARE DRIVE**  
With friction ring to provide a strong grip on sockets and accessories when attached

Specifications	
Volts	36
Drive	1/2" Square
Tightening Torque	568 ft-lbs
Breakaway Torque	774 ft-lbs
No-Load Speed	0-2,400 RPM
Impact Rate	0-3,400 IPM
Weight (w/Battery)	5.7 lbs

Included	
(2) 18V/36V MultiVolt	371751M
2.5Ah/5.0Ah Li-Ion Battery	
Rapid Charger w/ USB Port	UC18YSL3
Belt Hook	
Case	377282

**4-STAGE SPEED SELECTION CONTROL BOARD**  
Provides up to 568 ft-lbs of tightening torque (774 ft-lbs of nut-busting), 0-2,400 RPM, and 0-3,400 IPM for precision and control during a variety of applications

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY

## WR36DBQ4

*Powerful all-weather jobsite field proven tool for the demanding professional*  
**36V MultiVolt™ Cordless 1/2" High-Torque Impact Wrench (Bare Tool)**



- MultiVolt: It's Cordless. It's Corded. It's Both!
- Powered by MultiVolt™ 36V battery or optional AC adapter (ET36A). See page 32 for details
- Responsive variable speed trigger provides complete control during the application
- 4-Stage electronic speed switch for precision and control during a variety of applications
- IP56 rating provides dust and water resistance



**1/2" SQUARE DRIVE**  
With friction ring to provide a strong grip on sockets and accessories when attached

Specifications	
Volts	36
Drive	1/2" Square
Tightening Torque	775 ft-lbs
Breakaway Torque	1,218 ft-lbs
No-Load Speed	0-1,500 RPM
Impact Rate	0-2,800 IPM
Weight (w/Battery)	8.8 lbs

Includes	
Belt Hook	

Optional Accessories	
Starter Kit	UC18YSL3B1
Adapter	ET36A
MultiVolt™ Batteries	372121M or 371751M
Charger	UC18YSL3

**36V**

**MP**  
**MULTI VOLT**

**BRUSHLESS**

**IP56**



**WR36DE**  
36V MultiVolt 1/2" Mid-Torque Impact Wrench



*Powerful all-weather jobsite field proven tool for extreme applications*

### WR36DAQ4

#### 36V MultiVolt™ Cordless 3/4" High-Torque Impact Wrench (Bare Tool)

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY

**36V**

**MULTI VOLT**

**BRUSHLESS**

**IP56**



- MultiVolt: It's Cordless. It's Cored. It's Both!
- Powered by MultiVolt™ 36V battery or optional AC adapter (ET36A). See page 32 for details
- Responsive variable speed trigger provides complete control during the application
- Built-in LED light effectively illuminates dark work spaces
- Heat-resistant rubber bumper protects the tool, workpiece and the user when in use
- IP56 rating provides dust and water resistance



#### 3/4" SQUARE DRIVE

With friction ring and pin detent to provide a strong grip on sockets and accessories when attached

#### Specifications

Volts	36
Drive	3/4" Square
Tightening Torque	812 ft-lbs
Breakaway Torque	1,328 ft-lbs
No-Load Speed	0-1,500 RPM
Impact Rate	0-2,900 IPM
Weight (w/Battery)	8.8 lbs

#### Includes

Belt Hook

#### Optional Accessories

Starter Kit	UC18YSL3B1
Adapter	ET36A
MultiVolt™ Batteries	372121M or 371751M
Charger	UC18YSL3



### WR22SE

*The best & only 3/4" corded brushless impact wrench*

#### 3/4" Square Drive Impact Wrench

AC **BRUSHLESS**

**FHB**



- Ultra efficient low-maintenance AC Brushless motor that permits the use of extra-long extension cords with reduced power loss
- Superior performance when using a generator due to an internal inverter circuit that regulates uneven power supply
- AHB (Aluminum Housing Body) construction significantly enhances the internal and external durability of the tool
- Toggle switch for easy transition from forward to reverse
- Soft start and brake function
- A/C or D/C, can be used with a D/C power source
- Only 10.1 lbs, lightweight design facilitates maneuverability

#### Specifications

Amps	8.3
Drive	3/4" Square
No-Load Speed	1,400 RPM
Impact Rate	2,000 IPM
Max Torque	460 ft-lbs
Weight	10.1 lbs

#### Includes

Case  
Side Handle

#### Capacities

Bolt	M14 - M24 (9/16" - 15/16")
High Tension Bolt	M16 - M22 (5/8" - 7/8")



### WR25SE

*The industry best 1" corded brushless impact wrench*

#### 1" Square Drive Impact Wrench

AC **BRUSHLESS**

**FHB**



- Ultra efficient low-maintenance AC Brushless motor that permits the use of extra-long extension cords with reduced power loss
- Superior performance when using a generator due to an internal inverter circuit that regulates uneven power supply
- AHB (Aluminum Housing Body) construction significantly enhances the internal and external durability of the tool
- Toggle switch for easy transition from forward to reverse
- Soft start and brake function
- A/C or D/C, can be used with a D/C power source
- Only 17 lbs, lightweight design facilitates maneuverability

#### Specifications

Amps	9.4
Drive	1" Square
No-Load Speed	1,100 RPM
Impact Rate	1,500 IPM
Max Torque	740 ft-lbs
Weight	17 lbs

#### Includes

Case  
Side Handle

#### Capacities

Bolt	M22 - M30 (7/8" - 1-3/16")
High Tension Bolt	M22 - M24 (7/8" - 15/16")



**WR36DAQ4**  
36V MultiVolt 3/4" High Torque  
Impact Wrench (Bare Tool)



# DRILL DRIVERS & HAMMER DRILLS



**DS18DBFL2E**  
18V Cordless Driver Drill

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY  
2 YEAR HIGH BATTERY WARRANTY  
1 YEAR CHARGER WARRANTY

**18V**  
BRUSHLESS  
RFC  
REACTIVE FORCE CONTROL

## DV18DBL2Q4

*Extreme power with the added safety of Reactive Force*

### 18V Cordless High-End Hammer Drill



- Reactive Force Control (RFC) senses tool overload and stops the tool from rotating in instances where there may be a bit snag or an overload application
- Ratcheting 1/2" Keyless All-Metal Chuck with carbide inserts for quick and simple bit replacements and secure holding power
- Optical Trigger Switch for a more responsive variable speed actuation and wear resistant trigger assembly
- Compatible with all Metabo HPT 18V/36V Lithium-Ion Slide Type Batteries for fade free power (batteries and charger sold separately)
- Brushless Motor Technology for more runtime, increased power and durability with essentially no maintenance

#### Specifications

Volts	18
No-Load Speed	0-2,100 RPM
Impact Rate	0-31,500 BPM
Torque	1,205 in-lbs
Capabilities	
Wood	3"
Steel	1/2"
Brick	5/8"
Chuck	1/2" Keyless Ratcheting
Weight (w/out battery)	3.5 lbs

#### Includes

Side Handle	339770
Belt Hook	

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY  
2 YEAR HIGH BATTERY WARRANTY  
1 YEAR CHARGER WARRANTY

**36V**  
MULTI VOLT  
BRUSHLESS  
RFC  
REACTIVE FORCE CONTROL

## DV36DAQ

*Extreme 36V power with the added safety of Reactive Force Control*

### 36V MultiVolt™ Cordless 1/2" Hammer Drill (2.5Ah x 2)



Also available  
DV36DAQ4  
(bare tool only)

- **MultiVolt™**: It's Cordless, It's Coded, It's BOTH!
- Holes Per Charge: 195 (1-1/2" diameter auger bit, 3" deep through wood)
- Professional grade power with 1,220 in-lbs of torque and up to 2,100 RPM with 0-31,500 BPM
- Long side handle provides additional comfort and control
- Built-in LED light effectively illuminates dark work spaces
- Reactive Force Control (RFC) senses tool overload and stops rotation to ensure user safety



#### 1/2" KEYLESS ALL METAL CHUCK

With carbide inserts for quick and simple bit replacements and secure holding power



#### 22-STAGE + 2 CLUTCH SETTINGS

22 torque settings, a drill mode and a hammer drill mode to properly match the torque to the application

#### Specifications

Volts	36
Torque	1,220 in-lbs
No Load Speed	0-2,100 RPM
Impact Rate	0-31,500 BPM
Capabilities	
Wood	4"
Brick	3/4"
Steel	5/8"
Weight (w/Battery)	6.0 lbs

#### Includes

(2) MultiVolt™ 2.5Ah Batteries	371751M
Rapid Charger w/USB Port	UC18YSL3
Side Handle	339770
Doubled #2 Phillips Bit	983006
Belt Hook	
Hard Carrying Case	339778

#### Optional

36V MultiVolt AC Adapter	ET36A
--------------------------	-------

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY

**18V**  
BRUSHLESS

## DS18DBFL2E

*Good power in a compact body to get between studs*

### 18V Cordless Driver Drill



Also available  
DS18DBFL2Q4  
(bare tool only)

- Keyless Metal Chuck to ensure strong grip on the bit and easy bit replacements
- Compatible with all Metabo HPT 18V/36V Lithium-Ion Slide Type Batteries for fade free power
- On-Tool Battery Indicator: to gauge the status of the battery and reduce down time
- LED Light: to illuminate the workspace when use in darker areas
- Belt Hook: to keep tool close at hand

#### Specifications

Volts	18
Chuck	1/2" Keyless
Clutch Settings	22 + 1
No-Load Speed	0-1,800 RPM
Torque	620 in-lbs
Battery Type	Lithium Ion Slide
Weight (w/BSL1830C battery)	3.5 lbs

#### Includes

(2) 1.5Ah Li-Ion Batteries	333353M
18v Charger	UC18YFSL
#2 Phillips Bit	983006
Belt Hook	
Bag	375801



LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY  
**2 YEAR** LITHIUM BATTERY WARRANTY  
**1 YEAR** CHARGER WARRANTY  
**18V**  
**BRUSHLESS**

### KC18DDX

**SUB COMPACT**  
**HIGH TORQUE**



*Lightweight tool combo kit for everyday drilling and fastening duties*

### 18V DDX Series Sub-Compact Driver Drill/Impact Driver Kit

- Powered by Lithium-Ion battery technology for fade-free power and less weight
- Both tools feature brushless motors, which reduce weight, allow for more efficient runtime, and eliminate time-consuming repairs
- Sub-Compact design allows for use in narrow spaces

#### Includes

1/2" Sub-Compact Driver Drill	DS18DDX
1/4" Sub-Compact Impact Driver	WH18DDX
(2) 18V 1.5Ah Batteries	333353M
#2 Phillips Bit	983006
Carrying Bag	375801M
Charger	UC18YKSL

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY  
**2 YEAR** LITHIUM BATTERY WARRANTY  
**1 YEAR** CHARGER WARRANTY  
**18V**  
**BRUSHLESS**

### KC18DBFL2C



*Professional tool combo kit featuring the best impact driver on the market*

### 18V Cordless Hammer Drill & Impact Driver Combo Kit

- Includes 2 MultiVolt™ 18V Compact 3.0Ah Battery
- Powerful Brushless Motor: for longer runtime, increased power & performance, and extended motor durability
- Includes DV18DBFL2 Hammer Drill & WH18DBDL2 Impact Driver: to suit nearly all drilling and driving tasks
- Responsive Variable Speed Trigger: provides complete control during operation
- On-Tool Battery Indicator: to gauge the status of the battery and reduce down time
- LED Light: to illuminate the workspace when use in darker areas
- Belt Hook: to keep tool close at hand

#### Includes

1/2" Hammer Drill	DV18DBFL2
1/4" Hex Impact Driver	WH18DBDL2
(2) 18V 3.0Ah Compact Battery	339782M
Charger	UC18YFSL
Carrying Case	372210
Belt Hook x2	
Double Sided #2 Phillips Bit	983006



**KC18DDX4**  
18V DDX Series Sub-Compact 4pc Combo Kit



# WHY CHOOSE METABO HPT CUTTING & SAWING?



## THE KEY TO MULTIVOLT:

MultiVolt technology applies to models: CR36DAQ4M, C361ODRJQ4, CR36DAQ4, CR18DBLQ4, CB36DA, C361ODRA, C361ODRAQA, CV18DBLQ5, CE18DSLQ4, CN18DSLQ4, VB3616DA

- Use 18V batteries (1.5, 2, 3Ah) for the best power-to-weight ratio, and keeping tools lighter for less fatigue while working
- 36V batteries (2.5, 5.0Ah) have the highest power on the go, for long work days without drops in power or stopping to recharge. Use them in 18V tools to double the runtime!
- The AC Adapter ensures that any 36V tool can be used all day long without slowing down, supplying a steady source of power.

## AC/DC ADAPTER

AC/DC Adapter applies to models: CR36DAQ4, C361ODRJQ4, CR18DBLQ4, CB36DA, C361ODRA, C361ODRAQA, CV18DBLQ5, CE18DSLQ4, CN18DSLQ4, VB3616DA

- World's first AC/DC compatible power supply! Your choice of cordless or corded in one tool! The best of both worlds
- Use the AC adapter to finish the job when the battery is depleted or when corded power is available to save on battery run-time.
- Built-in inverter provides additional benefit of using extra long extension cords with the adapter.
- Compatible with use of generators with Built-in overload/overheat protection
- Pivoting cord (from 90 to 180 degrees) provides user freedom and comfort during use



## TWIN COUNTERWEIGHT TECHNOLOGY

Twin Counterweight Technology applies to model CR36DAQ4

Best orbital action with smooth cutting experience

- Faster cutting for demolition
- Low vibration
- Smoother cut when cutting pipes

LITHIUM ION  
LIFETIME  
TOOL WARRANTY

36V

MULTI VOLT

BRUSHLESS

DUST BLOWER  
FUNCTION

QUICK  
BRAKING



Also available  
Optional Dust  
Collector Adapter  
SKU# 372757

### C3607DAQ4

Heavy duty performance, fast cuts through wet wood, fiber cement board  
36V MultiVolt™ Cordless 7-1/4" Circular Saw (Bare Tool)

- MultiVolt™: It's Cordless, It's Corded, It's BOTH!
- Cuts Per Charge: 220 cross cuts (2" x 8" wood)
- Soft Start & Electric Brake for increased safety & productivity
- Heavy Duty Aluminum Base with easy to read scale
- Auto Mode option to reduce RPM & decibel rating while sparing motor & battery life
- Right Slide Blade



### BEVEL ADJUSTMENT

Easy to read bevel scale. 55° capacity with stops at 0°, 45° and 55°



### CONTROL BOARD

Auto Mode reduces RPM and decibel rating while sparing motor and battery life

### Specifications

Volts	36
Blade Diameter	7-1/4"
No Load Speed	4,300 RPM
Arbor Size	5/8"
Capacities	
90° Cut Depth	2-7/16"
45° Cut Depth	1-7/8"
Weight (w/ Battery)	9.7 lbs

### Includes

7-1/4" 24T Framing Blade	115429M
5mm Blade Wrench	944459

### Optional

36V Li-Ion Slide Battery (BSL36B18)	372121M
36V Li-Ion Slide Battery (BSL36A18)	371751M
MultiVolt AC Adapter	ET36A
MultiVolt Starter Kit	UC18YSL3B1



LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY

**2** YEAR LIMITED WARRANTY  
**1** YEAR CHARGER WARRANTY

**36V**

**MULTI VOLT**

**BRUSHLESS**

**QUICK BRAKING**

### C3607DWA



Also available  
C3607DWAQ4 (Bare Tool)

*Cordless Rear Handle left blade preferred by Masonry and Concrete Contractors*

#### 36V MultiVolt™ 7-1/4" Rear Handle Circular Saw

- **GO ALL DAY:** Can be powered by a 36V MultiVolt battery OR MultiVolt AC Adapter with cord (ET36A). See page 32 for details
- Superior Performance - Cuts like corded
- Cuts per Charge - 500 cross cuts (2x4)
- Light weight
- Balanced ergonomic design
- Rafter hook

#### Optional

Guide Set

#### Specifications

Volts	36
Blade Diameter	7-1/4"
No Load Speed	5,100 RPM
Capacities	
90 Degree Cut Depth	2-7/16"
45 Degree Cut Depth	1-3/4"
Weight w/ Battery	10.4 lbs

#### Includes

7-1/4" Saw Blade	115750M
Dust Collector Set (A)	324887
4.0Ah/8.0Ah MultiVolt Battery	372121M
Bag	371108M
Wrench	957683

PROFESSIONAL  
**5** YEAR WARRANTY

### C7WDM



*Worm drive style preferred by masons and forming contractors*

#### 7-1/4" Worm Drive Circular Saw

- Durable worm drive gears for longer life and professional results
- Rafter hook for safe rafter placement and easy storage
- Blade wrench conveniently stores in the foot of the tool
- Soft, non-slip grip for increased comfort and control
- Carbon brush access allows the users to easily inspect and replace brushes as needed which greatly prolongs the life of the tool
- Magnesium base

#### Capacities

Cut Depth @ 45°	1-3/4"
Cut Depth @ 90°	2-3/8"

#### Specifications

Amps	15
No-Load Speed	5,000 RPM
Arbor Size	5/8"
Bevel Capacity	53°
Weight	14.7 lbs

#### Includes

(2) 7-1/4" 24T Premium Framing VPR Blade	115429M
Blade Wrench	372021

#### Optional

Rip Guide Assy	372098
Knob	372100

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY

**2** YEAR LIMITED WARRANTY  
**1** YEAR CHARGER WARRANTY

**18V**

**BRUSHLESS**

**LVH**

INCLUDES INCLUDES  
**RAFTER HOOK**

### CR18DBLQ4



*Lightweight saw for everyday applications*

#### 18V Cordless Recip Saw (Bare Tool)

- **LVH (Low Vibration Handle):** with soft grip ensures a high vibration absorbing effect for added user comfort
- **3-Mode Selector w/ Auto Mode:** operates up to 2,500 SPM for convenience in performing with various applications
- **Brushless Motor Technology:** for higher efficiency, increased runtime and longer lifetime of the tool
- **Large Rafter Hook:** convenient for temporarily hanging tool on wood beam or pipe when not in use
- **On-Tool LED:** to illuminate dimly lit work areas
- **On-Tool Battery Indicator:** to monitor the status of the battery and reduce downtime

#### Specifications

Volts	18
Stroke Length	1-1/4"
No-Load Speed	0-2,500 SPM
Blade Change	Tool-less
Battery Type	Lithium Ion Slide
Weight (w/6.0Ah battery)	7.5 lbs

#### Includes

Curved Wood Blade	371902
-------------------	--------

#### Optional

18V Li-Ion Slide Battery (BSL1860)	338890M
18V Li-Ion Universal Rapid Charger	UC18YSL3
Plastic Carrying Case	371355

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY

**36V**

**MULTI VOLT**

**BRUSHLESS**

**UVP**

**ORBITAL**

### CR36DAQ4



*Super-fast cuts with dual counterweight technology for comfortable all-day use*

#### 36V MultiVolt™ Cordless Reciprocating Saw (Bare Tool)

- **MultiVolt™:** It's Cordless, It's Corded, It's BOTH!
- **Cuts Per Charge:** 100 cross cuts (2" x 12" wood)
- **Delivers a 1-1/4" stroke length** for convenience and speed when performing various applications
- **Large rafter hook** convenient for temporarily hanging tool on work material when not in use
- **Slim body** makes the tool easier to grip for enhanced operating efficiency



#### ORBITAL ACTION

Beneficial for faster cutting through wood for demolition or other such applications



#### CONTROL BOARD

4-Stage speed selector ranging from 1,700 SPM to 3,000 SPM to satisfy cutting needs for various applications

#### Specifications

Volts	36
Stroke Speed	
Low	0-1,700 SPM
Medium	0-2,000 SPM
High	0-2,500 SPM
Max	0-3,000 SPM
Stroke Length	1-1/4"
Blade Change	Tool-less
Weight (w/ Battery)	10.6 lbs

#### Includes

Curved Wood Blade

#### Optional

36V Li-Ion Slide Battery (BSL36B18)	372121M
36V Li-Ion Slide Battery (BSL36A18)	371751M
MultiVolt AC Adapter	ET36A
MultiVolt Starter Kit	UC18YSL3B1





## C3610DRA

All-rounder, AC/DC versatility with jobsite portability

36V MultiVolt™ Cordless 10" Slide Miter Saw (w/ Adapter)

36V

LASER MARKER



ET36A Adapter  
included

Also available  
C3610DRAQ4 (Bare Tool)  
C3610DRAQA (w/ Starter Kit)

- MultiVolt™: It's Cordless, It's Coded, It's BOTH!
- Cuts Per Charge: 350 cross cuts (2" x 4" wood)
- Includes AC Adapter
- Compact slide system allows for cuts with zero clearance
- Up front miter and bevel locks for easy cut adjustments
- Adjustable laser and LED light for accurate cutting and cutting in dimly lit areas



### ZERO CLEARANCE SLIDE RAIL

Allows for efficient cutting in tight spaces or when tool is placed against a wall



### ADJUSTABLE LASER

Allows easy adjustment for more accurate cutting



### MITER SCALE

Large, easy to read miter scale with detents at 0°, 15°, 22.5°, 31.6°, and 45° for increased accuracy for various cuts

#### Specifications

Volts	36
Blade Diameter	10"
Arbor	5/8"
Miter Angle	L 55° R 60°
Bevel Angle	L 48° R 48°
No Load Speed	4,000 RPM
Weight (w/o Battery)	45.5 lbs

#### Includes

10" 24T TCT Saw Blade	372632
Dust Bag	372578
Vise Assembly	372531
5mm Screw	372464
MultiVolt™ AC Adapter	ET36A
13mm Blade Wrench	372446
Support Rod Ass'y x2	372571

#### Optional

36V Li-Ion Slide Battery (BSL36B18)	372121M
36V Li-Ion Slide Battery (BSL36A18)	371751M
Li-Ion Universal Rapid Charger	UC18YSL3
MultiVolt Starter Kit	UC18YSL3B1



## C10RJS

10" table saw with outstanding performance

10" Corded Table Saw with Fold and Roll Stand



- Powerful 15 Amp motor with 4,500 RPM for tackling the toughest applications
- Capable of a 3-1/8" cut at 90 and 2-1/4" cut at 45
- 0 to 45 Bevel for cuts ranging in 3-1/8" to 2-1/4"
- 28-3/4" x 22" working table size for easy and stable material support

#### Specifications

Amps	15
Blade Diameter	10"
No Load Speed	4,500 RPM
Capacities	
90 Degree Cut Depth	3-1/8"
45 Degree Cut Depth	2-1/4"
Weight w/ Battery	100 lbs

#### Includes

10" 40T Carbide Tipped Blade	371495	Outfeed Support Assembly	371650
Blade Guard Assy	371647	(2) Blade Wrenches	371633
Anti-Kickback Pawl	371648	4mm Hex Bar Wrench	371645
Miter Gauge Assy	371651	2.5mm Hex Bar Wrench	371646
Push Stick	371532	5mm Hex Bar Wrench	371644
Rip Fence Assy	371649		



## CM4SB2

A good value compact tile saw

4" Dry-Cut Masonry Saw



- Sealed armature coil is protected from dust and debris- ideal for dry cutting applications
- Sealed armature coil additionally helps to minimize vibration
- Short base edge-to-blade distance for easy cuts in tight spaces
- One touch lever adjusts the depth of cut quickly and easily
- Compact and lightweight for less fatigue and easy maneuverability

#### Specifications

Amps	11.6
Wheel Diameter	4-3/8"
Spindle Thread	5/8" x 11
No-Load Speed	11,500 RPM
Weight	6.17 lbs

#### Includes

Wheel Guard	311745
Side Handle	956633
Spanner Wrench	938332Z
Abrasive Depressed Center Wheel (1pc)	727535B10



## CM5SB

Effective Tuck pointer packaged with diamond blade and case

5" Concrete / Masonry Cutter



- Powerful motor for fast material removal and high overload durability during tough cutting applications
- Efficient dust collection removes 95% of dust with vacuum attachment for cleaner, safer, and more comfortable operation
- Tool-less depth adjustment for quickly increasing depths on multiple passes
- Trigger lock-on for easy continuous operation
- Spindle lock for quick and easy accessory changes

#### Specifications

Amps	8
Max Wheel Diameter	5"
No-Load Speed	10,000 RPM
Spindle	5/8" x 11
Max Cutting Depth	1-3/16"
Length	12-3/8"
Weight	6.4 lbs

#### Includes

Wheel Guard Assembly	328740
Vacuum Adapter	320994
Side Handle	994322
Segmented Diamond Blade	728713
Case	328845

*Jobsite tested bulletproof saw - All-purpose metal and concrete cutting*



### CC12Y

#### 12" Portable Cut Off Saw, AC/DC



- Replaceable cutting wheel without need to remove base for quick changes
- Quick and easy wheel changes that don't require base removal
- Auto stop carbon brushes protect armature and extend tool life

#### Capacities

Depth of Cut per Pass	2"
Max Depth of Cut	4"

#### Specifications

Amps	15
Wheel Diameter	12"
No-Load Speed	5,000 RPM
Weight	24.0 lbs

#### Includes

Metal Cutting Wheel (12")	
Masonry Cutting Wheel (12")	
Spanner Wrench	985607
6mm Hex Bar Wrench	872422

*All metal base & guard construction for heavy duty use on jobsites*



### CC14SFS

#### 14" Portable Chop Saw



- Portable, rugged, and lightest in class to withstand daily transport between trucks and jobsites
- Adjustable fence is easy to use and miters 45 degrees to the right or left for versatility
- Quick-lock/release vise provides fast feeding and changing of materials of different sizes

#### Capacities

Rectangular Pipe	5-1/2" x 4-1/2"
	7-43/64" x 3-15/16"
	9-1/4" x 2-49/64"
Round Pipe	5"
Shaped Steel	5-1/8" x 5-1/8"

#### Specifications

Amps	15
Wheel Diameter	14"
No-Load Speed	4,000 RPM
Weight	37.0 lbs

#### Includes

Cut-Off Wheel (14")	
8mm Hex Bar Wrench	955857

*Lightweight tool, heavy duty cutting power*



### CB18DBLQ4

#### 18V Cordless 3-1/4" Band Saw (Bare Tool)

2 YEAR LITHIUM BATTERY WARRANTY  
1 YEAR CHARGER WARRANTY

**36V**

**MULTI VOLT**

**BRUSHLESS**



- Variable speed dial that operates from 260 to 640 SFPM and allows for setting the blade speed to suit the work material
- Compatible with all Metabo HPT 18V/36V Lithium-Ion Slide Type Batteries for fade free power (batteries and charger sold separately)
- Features Brushless Motor Technology for more run time, increased power and extended durability with essentially no maintenance
- 3-1/4" cut capacity cuts materials like conduit pipes, steel pipes, power cables, aluminum window frames and various plastics in electric, plumbing and mechanical work applications

#### Specifications

Volts	18
Max Cut Speed	640 SFPM
Variable Speed	260-640 SFPM
Auto Mode	395-640 SFPM
Battery Type	Lithium Ion Slide
Weight (without battery)	6.45 lbs

#### Includes

Side Handle	981828
Band Saw Blade	338431
4mm Hex Bar Wrench	944458

#### Optional

18V Li-Ion Slide Battery (BSL1860)	338891
18V Li-Ion Universal Rapid Charger	UC18YSL3

*Heavy duty performance, fastest cuts in industry*



### CB3612DA

#### 36V MultiVolt™ Cordless 4-3/4" 120mm Band Saw

2 YEAR LITHIUM BATTERY WARRANTY  
1 YEAR CHARGER WARRANTY

**36V**

**MULTI VOLT**

**BRUSHLESS**



- **MultiVolt™:** It's Cordless, It's Coded, It's BOTH!
- Variable speed dial that operates from 200 to 640 SFPM and allows for setting the blade speed to suit the work material
- Compatible with all Metabo HPT 36V Lithium-Ion Slide Type Batteries and corded AC Adapter (AC adapter sold separately)
- Features Brushless Motor Technology for more run time, increased power and extended durability with essentially no maintenance
- 4-3/4" cut capacity cuts materials like conduit pipes, steel pipes, power cables, aluminum window frames and various plastics in electric, plumbing and mechanical work applications

#### Specifications

Volts	36
Max Cut Speed	640 SFPM
Variable Speed	200-640 SFPM
Auto Mode	395 SFPM
Battery Type	Lithium Ion Slide
Weight (without battery)	16.5 lbs

#### Includes

Rapid Li-Ion Slide Type Charger	UC18YSL3
44-7/8" Bi-Metal Blade	376364M
4.0Ah 36V MultiVolt Battery	372121M
Plastic Blow Case	376268

#### Optional

MultiVolt AC Adapter	ET36A
MultiVolt Starter Kit	UC18YSL3B1




# WHY CHOOSE METABO HPT GRINDERS?

## KEY MULTIVOLT\* BENEFITS

MultiVolt technology apply to models: G3612DAQ6, G3612DBQ6, G18DBALQ4, GP18DAQ4

- Improve work efficiency at the site with the fastest grinding speed and stall-free power in its class because of powerful motor and battery
- 36V MultiVolt batteries are backward compatible with Metabo-HPT 18V slide type cordless tools (4.0Ah runtime in 36V provides 8.0Ah runtime in a 18V tool)



## KEY AC BRUSHLESS\* BENEFITS

\*Apply to models G12BYE, G12VE, G13BYE

- Industry first power tool with AC brushless motor
- Enhanced safety performance with high spec AC brushless motor IC chip: Brake, soft start, 0-voltage restart, anti-kick back, over current protection
- Stable power with AC power supply allows longer extension cords & use of generators
- Built in overload protection against overheating & voltage spikes
- User-controlled motor speed to maximize work efficiency



## KEY SPLIT CORE MOTOR BENEFITS

Split Core Motor applied models: G18ST, G23SCY2

- Better heat dissipation and airflow between the divided coils provide better cooling effect and improve durability of the tool
- Increase the maximum power output by weight reduction



## G3612DAQ6

Great concrete grinder with variable speed for increased control & fast brake

36V MultiVolt™ Variable Speed Cordless 4-1/2" Slide Switch Grinder (Bare Tool)

36V

MULTI VOLT

SLIDE SWITCH

BRUSHLESS



Replaceable filter screens available  
Filter A 371207  
Filter B 372108

- MultiVolt: It's Cordless. It's Corded. It's Both!
- Powered by MultiVolt™ 36V battery or AC adapter (ET36A). See page 32 for details
- Slim grip circumference reduces fatigue and improves control, especially during continuous use applications
- **Variable Speed** to match grinder speed to user application
- **Auto-Mode** reduces RPM while idling to preserve battery life and reduce noise level
- Soft-start reduces the load felt by the user at start-up
- Spindle lock and tool-less wheel guard for quick and easy disc changes
- Anti-kickback quickly shuts off power in the event of a bound wheel, extending tool life and protecting the user from potential harm



### SLIDE SWITCH

With Lock-On allows for continuous operation

### DUST SCREEN

To assist in the prevention of dust entering the tool body and extended tool life

### Specifications

Volts	36
Wheel Diameter	4-1/2"
Wheel Capacities	4", 4-1/2"
Switch Type	Slide
Variable Speed	3,000-9,500 RPM
Auto Mode	5,500-9,500 RPM
Weight (w/Battery)	7.1 lbs

### Includes

4-1/2" Tool-less Wheel Guard	337229
4-1/2" Grinding Wheel	316821
Blade Wrench	938332Z
Side Handle	336865
4mm Hex Bar Wrench	944458
Carrying Bag	328849M

### Optional

36V Li-Ion Slide Battery (BSL36B18)	372121M
36V Li-Ion Slide Battery (BSL36A18)	371751M
MultiVolt AC Adapter	ET36A
MultiVolt Starter Kit	UC18VSL3B1



### G18DBALQ4

All-rounder for cordless metal grinding and cutting

#### 18V Cordless 4-1/2" Angle Grinder (Bare Tool)



- Compatible with all Metabo HPT 18V & 36V MultiVolt™ batteries
- Auto mode adjusts the speed automatically between high and low speed depending on the load. Auto mode reduces noise and vibration in no-load operation while helping increase battery life
- Dust and water resistant for extended tool life
- Kick back protection to ensure user safety

#### Specifications

Volts	18
Wheel Diameter	4-1/2"
Spindle Thread	5/8" x 11
No-Load Speed	9,000 RPM
Weight	4.0 lbs

#### Includes

Abrasive Depressed Center Wheel	
Side Handle	318312
Spanner Wrench	938332Z

#### Optional

18V Li-Ion Starter Kit	UC18YSL3S
------------------------	-----------



### G3612DBQ6

Non-locking paddle switch with variable speed for increased control & fast brake

#### 36V MultiVolt™ Variable Speed Cordless 4-1/2" Paddle Switch Grinder (Bare Tool)



- MultiVolt: It's Cordless. It's Cored. It's Both!
- Powered by MultiVolt™ 36V battery or AC adapter (ET36A). See page 32 for details
- Slim grip circumference reduces fatigue and improves control, especially during continuous use applications
- **Variable speed** dial to match grinder speed to user application
- **Auto-Mode** reduces RPM while idling to preserve battery life and reduce noise level
- Soft-start reduces the load felt by the user at start-up
- Spindle lock and tool-less wheel guard for quick and easy disc changes
- Anti-Kickback quickly shuts off power in the event of a bound wheel, extending tool life and protecting the user from potential harm



#### PADDLE SWITCH

Non-Locking and turns off when released for added user safety



#### DUST SCREEN

To assist in the prevention of dust entering the tool body and extended tool life

#### Specifications

Volts	36
Wheel Diameter	4-1/2"
Wheel Capacities	4", 4-1/2"
Switch Type	Paddle (Non-Locking)
Variable Speed	3,000-9,500 RPM
Auto Mode	5,500-9,500 RPM
Weight (w/Battery)	7.1 lbs

#### Includes

4-1/2" Tool-less Wheel Guard	337229
4-1/2" Grinding Wheel	316821
Blade Wrench	938332Z
Side Handle	336865
4mm Hex Bar Wrench	944458
Carrying Bag	328849M

#### Optional

36V Li-Ion Slide Battery (BSL36B18)	372121M
36V Li-Ion Slide Battery (BSL36A18)	371751M
MultiVolt AC Adapter	ET36A
MultiVolt Starter Kit	UC18YSL3B1



### G12SR4

Outstanding value & performance - Packaged with a case and grinding wheels

#### 4-1/2" 6.2-Amp Angle Grinder with 5 Abrasive Wheels



727535

- Powerful 6.2 Amp motor for tough grinding applications
- Smaller grip design to reduce fatigue
- High overload durability for increased life and reliability
- Better motor cooling for extended life
- Switch Lock-on for comfortable continuous operation

#### Specifications

Amps	6.2
Wheel Diameter	4-1/2"
Spindle Thread	5/8" x 11
No-Load Speed	10,000 RPM
Weight	4.0 lbs

#### Includes

Wheel Guard	338848
Side Handle	302142
Abrasive Depressed Center Wheel (5pcs)	727535
Spanner Wrench	938332Z
Case	339264



### G12SQ2

Good all-rounder non-locking grinder

#### 4-1/2" 7.9-Amp Non-Locking Paddle Switch Grinder



- Powerful 7.9 Amp for the toughest grinding jobs
- 10,500 RPM No-Load Speed
- Large non-locking paddle switch for ease of use and improved safety
- Wheel guard can be adjusted to desired angle
- Dual-position handle
- Spindle lock for easy wheel installation and removal
- Only 4.4lbs, lightweight design facilitates maneuverability

#### Specifications

Amps	7.9
Wheel Diameter	4-1/2"
Spindle Thread	5/8" x 11
No-Load Speed	10,500 RPM
Weight	4.4 lbs

#### Includes

Side Handle	318312
Depressed Center Wheel	316821
Spanner Wrench	938332Z





## G12SA4

*Powerful slide switch grinder with secure & easily adjustable tool-less guard*  
**4-1/2" 10.5 Amp Slide Switch Disc Grinder**

**SLIDE SWITCH**



- 10.5 Amps and 11,500 RPM for substantial power and speed to tackle tough jobs
- Sealed slide switch with lock-on for ease-of-use over extended periods
- Tool-less guard system provides a twist-proof connection and allows the user to adjust the guard position without removal

### Specifications

Amps	10.5
Wheel Diameter	4-1/2"
Switch Type	Sealed Slide Switch
Max Watts Out	1900
No-Load Speed	11,500
Spindle Thread	5/8"-11 UNC
Spindle Lock	Yes
Tool Weight	5.3 lbs (2.4 kg)
Warranty	1 Year

### Includes

Spanner Wrench	938332Z
Side Handle	994322
Depressed Center Wheel	316821



## G12SE3

*Powerful paddle switch grinder with secure & easily adjustable tool-less guard*  
**4-1/2" 10.5-Amp Paddle Switch Disc Grinder with Lock-On**

**PADDLE SWITCH**



- 10.5 Amps and 11,500 RPM for substantial power and speed to tackle tough jobs
- Lock-on/lock-off paddle switch for safety and ease-of-use
- Tool-less guard system provides a twist-proof connection and allows the user to adjust the guard positions without removal

### Specifications

Amps	10.5
Wheel Diameter	4-1/2"
Switch Type	Locking Paddle Switch
Max Watts Out	1900
No-Load Speed	11,500
Spindle Thread	5/8"-11 UNC
Spindle Lock	Yes
Tool Weight	5.5 lbs (2.5 kg)
Warranty	1 Year

### Includes

Spanner Wrench	938332Z
Side Handle	994322
Depressed Center Wheel	316821



## G12BYEQ

*Brushless durability for extreme applications, non-locking switch, & fast-brake for safety*  
**4-1/2" Brushless 12-Amp Disc Grinder with Brake**

**AC BRUSHLESS**

**QUICK BRAKING**

**PADDLE SWITCH**



- Powerful 12 Amp Motor to power through the toughest cutting and grinding applications
- 10,000 RPM No-Load Speed
- Large paddle switch with non-locking switch
- AC Brushless Motor ensures highly efficient performance with minimal maintenance and reduced tool weight and size
- Only 4.6 lbs for ease of use and reduced jobsite fatigue
- Fast Brake for added safety

### Specifications

Amps	12
Wheel Diameter	4-1/2"
Spindle Thread	5/8" x 11
No-Load Speed	10,000 RPM
Weight	4.6 lbs

### Includes

Filter Set	37613
Side Handle	318312
Spanner Wrench	938332Z
4mm Hex Bar Wrench	944458

### Optional

Vibration Absorbing Handle	336865
Filter Set	37613



## G12VE

*Brushless and variable speed for concrete finishing and granite fabrication*  
**4-1/2" 12-Amp Variable Speed Angle Grinder**

**AC BRUSHLESS**



- Ultra efficient low-maintenance AC Brushless motor that permits the use of extra-long extension cords with reduced power loss
- Superior performance when using a generator due to an internal inverter circuit that regulates uneven power supply
- Variable speed for ultimate control and precision
- Soft start and kick-back protection for added safety
- Electronic overload protection stops the motor when too much pressure is applied, extending motor and gear life
- Zero Voltage Restart protection prevents restarting if power is disrupted during operation due to power outages or tool overload
- Recommend Uses: Surface finishing, rust and paint removal, light grinding and concrete finishing

### Specifications

Amps	12.0
Wheel Diameter	4-1/2"
Spindle Thread	5/8" x 11
No-Load Speed	2,800-10,000 RPM
Weight	4.2 lbs

### Includes

Wheel Guard	311745
Side Handle	956633
Spanner Wrench	938332Z
Abrasive Depressed Center Wheel (1pc)	



### G13SC2 G13SC2Q9

*Rat-tail grinder for increased control when surface grinding*

#### 5" 11-Amp Angle Grinder



**G13SC2Q9**  
Without Lock-On Switch

- Low-profile head permits access in tight areas
- Dust-resistant construction prolongs armature, switch, and bearing life
- Trigger lock-on for comfortable continuous operation (G13SC2 only)

#### Specifications

Amps	11.0
Wheel Diameter	5"
Spindle Thread	5/8" x 11
No-Load Speed	10,000 RPM
Weight	6.2 lbs

#### Includes

Wheel Guard	370411
Side Handle	318312
Spanner Wrench	376127
Abrasive Depressed Center Wheel (1pc)	



### G13SE3

*Powerful paddle switch grinder with secure & easily adjustable tool-less guard*

#### 5" 10.5-Amp Paddle Switch Disc Grinder with Lock-On



- 10.5 Amps and 11,500 RPM for substantial power and speed to tackle tough jobs
- Large paddle switch with non-locking switch
- Tool-less guard system provides a twist-proof connection and allows the user to adjust the guard positions without removal
- Super Fast Brake for added safety

#### Specifications

Amps	10.5
Wheel Diameter	5"
Switch Type	Locking Paddle Switch
Max Watts Out	1900
No-Load Speed	11,500
Spindle Thread	5/8"-11 UNC
Spindle Lock	Yes
Tool Weight	5.5 lbs (2.5 kg)
Warranty	1 Year

#### Includes

Spanner Wrench	938332Z
Side Handle	994322
Depressed Center Wheel	316821



### G13BYEQ

*Advanced Pro Tool: Brushless durability, non-locking switch, & fast brake for safety*

#### 5" 12-Amp Angle Grinder with Brake



- Powerful 12 Amp Motor to power through the toughest cutting and grinding applications
- 10,000 RPM No-Load Speed
- Large paddle switch with lock-off feature for enhanced safety
- AC Brushless Motor ensures highly efficient performance with minimal maintenance and reduced tool weight and size
- Only 4.6 lbs for ease of use and reduced jobsite fatigue

#### Specifications

Amps	12
Wheel Diameter	5"
Spindle Thread	1/8" x 11
No-Load Speed	10,000 RPM
Weight	4.6 lbs

#### Includes

Filter Set	37613
Side Handle	318312
Spanner Wrench	938332Z
4mm Hex Bar Wrench	944458

#### Optional

Vibration Absorbing Handle	336865
Filter Set	37613



### G18ST

*Affordable tool with Split Core technology, providing excellent durability & low weight*

#### 7" 15-Amp Angle Grinder



- Powerful 15 Amp motor for tough grinding applications
- Lightweight design to reduce fatigue
- High overload durability for increased life and reliability
- Split core motor technology divides the stator coils in half for sufficient cooling efficiency, providing cooler running temperatures, increased motor durability, and decreased tool weight
- Labyrinth design for better dust and debris deterrence
- Soft grip, slip resistant handle

#### Specifications

Amps	15.0
Wheel Diameter	7"
Spindle Thread	5/8" x 11
No-Load Speed	8,500 RPM
Weight	10.8 lbs

#### Includes

Wheel Guard	338291
Side Handle	318312
Wrench	376127





## G23SCY2

Powerful Pro Tool with Split Core benefits and the comfort of vibration reduction

7" or 9" 15-Amp Low Vibration Angle Grinder with UVP

UVP  
USER VIBRATION PROTECTION



Includes both  
7" & 9" guards

- UVP (User Vibration Protection) technology greatly reduces vibration for comfortable extended use and fewer vibration related injuries
- Split core motor technology divides the stator coils in half for sufficient cooling efficiency, providing cooler running temperatures, increased motor durability, and decreased tool weight
- Low vibration main handle and side handle produce low full-load vibration, resulting in less user fatigue and greater productivity
- Dust protected switches and sealed armatures protect the internal components from harmful dust and debris

### Specifications

Amps	15.0
Wheel Diameter	7" & 9"
Spindle Thread	5/8" x 11
No-Load Speed	6,000 RPM
Weight	13.9 lbs

### Includes

Wheel Guard 7"	375000
Wheel Guard 9"	374999
Side Handle	322411
Spanner Wrench	325491



## GP3V

All-rounder with Variable Speed

1" 6.7-Amp Variable Speed Die Grinder



- Variable speed dial allows the user to adjust the speed for the application
- Small grip perimeter provides comfortable control and easy maneuverability
- Electronic feedback circuitry provides consistent power to maintain RPM under load
- Capable 6.7 Amp motor powers through even the toughest applications

### Specifications

Amps	6.7
Wheel Diameter	1"
Collet	1/4"
No-Load Speed	7,000-29,000 RPM
Weight	4.0 lbs

### Includes

Side Handle	324548
Spanner Wrench (17mm)	951211
Spanner Wrench (12mm)	936553



## GP18DAQ4

COMING SOON

18V Cordless 2" Die Slide Switch Die Grinder (Bare Tool)

18V

QUICK  
BRAKING

VARIABLE  
SPEED

BRUSHLESS

SLIDE  
SWITCH



- Compatible with all Metabo HPT 18V & 36V MultiVolt™ Lithium Ion slide type batteries for fade-free power (batteries & charger sold separately)
- Superior Performance - Grinds like corded
- Safety features included - Overload Protection, Kickback Protection, Soft start, and Quick Brake
- Variable speed dial with Auto mode allows user to easily adjust to speed best suited for application

### Specifications

Volts	18V
No-Load Speed	7,000-29,000 RPM
Wheel Diameter	2"
Weight w Battery	4.0 lbs

### Includes

Wrench	
--------	--

### Optional

18V 3.0Ah Li-Ion Battery	339782M
18V Charger	UC18YKSLM



## GP2S2

1" 4.7-Amp Die Grinder



- Large slide switch for easy one-hand operation
- Compact and lightweight at 14-3/32" in length and 3.7 lbs
- Internal carbon brushes creating a slim, sleek feel for excellent control
- Ideal for finishing dies, press work, die casting and molding, and grinding of machined parts

### Specifications

Amps	4.7
Wheel Diameter	1"
Collet	1/4"
No-Load Speed	29,000 RPM
Weight	3.7 lbs

### Includes

Collet Chuck	932666Z
Wrench	951211



### CN16SA

*Field proven jobsite nibbler with inexpensive replacement cutter heads*

#### 16-Gauge Sheet Metal Nibbler



- Small grip circumference for comfort and maximum control
- 3-position indexing die holder for quick and easy direction changes
- Downward punching minimizes chips on the work piece
- One-touch, quick-off slide switch for enhanced safety

#### Max Cutting Capacities

Aluminum Plate	14 Ga. (3/32")
Mild Steel	16 Ga. (1/16")
Stainless Steel	18 Ga. (3/64")

#### Specifications

Amps	3.5
No-Load Speed	2,300 SPM
Cut Speed	1-5/8"
Weight	3.5 lbs

#### Includes

Punch	998030
Die	998039
2.5mm Hex Wrench	990666
4mm Hex Wrench	944458

LITHIUM ION  
LIFETIME  
TOOL WARRANTY

**18V**

### CN18DSLQ4

*Good performance cordless nibbler with inexpensive replacement cutter heads*

#### 18V Cordless Nibbler (Tool Body Only)



- Compatible with all Metabo HPT 18V & 36V MultiVolt™ batteries
- 180 Degree 3 Stop Die Holder allows effortless straight, right and left cutting
- Soft Grip Handle for improved comfort and less fatigue
- On-Tool Battery Indicator to monitor the status of your battery and reduce downtime
- Lock-on Slide Switch for comfortable continuous use

#### Max Cutting Capacity

Mild Steel	16 Ga
Stainless Steel	18 Ga
Aluminum	13 Ga

#### Specifications

Volts	18
No-Load Speed	2,500 RPM
Min. Cut Radius	1-9/16"
Weight	3.2 lbs

#### Includes

2.5mm Hex Bar Wrench	990666
4mm Hex Bar Wrench	944458

#### Common Parts (Optional)

Punch	998030
Die Assembly	998039

#### Optional

18V Li-Ion Starter Kit	UC18YSL3S
------------------------	-----------

LITHIUM ION  
LIFETIME  
TOOL WARRANTY

**18V**

### CE18DSLQ4

*Fast cutting shear with inexpensive replacement punch & die assembly*

#### 18V Cordless Shear (Tool Body Only)



- Compatible with all Metabo HPT 18V & 36V MultiVolt™ batteries
- 5,300 RPM for faster cutting speed
- 8-Cutting Edge Blades x 2 offer the user easy replacement and extended service life
- Protector Plate built into the tool to protect the operator's hand
- Soft Grip Handle for improved comfort and less fatigue
- On-Tool Battery Indicator to monitor the status of your battery and reduce downtime
- Lock-on Slide Switch for comfortable & continuous use

#### Max Cutting Capacity

Mild Steel	16 Ga
Stainless Steel	18 Ga
Aluminum	13 Ga

#### Specifications

Volts	18
No-Load Speed	5,300 RPM
Min. Cut Radius	1"
Weight	4.9 lbs

#### Includes

3mm Hex Bar Wrench	943277
Thickness Gauge	949128

#### Common Parts (Optional)

Punch	998030
Die Assembly	998039

#### Optional

18V Li-Ion Starter Kit	UC18YSL3S
------------------------	-----------

LITHIUM ION  
LIFETIME  
TOOL WARRANTY

**18V**  
BRUSHLESS

### CV18DBLQ5

*Industry's first Auto mode to optimize battery life & minimize tool vibrations*

#### 18V Cordless Oscillating Multi-Tool (Bare Tool)



- Compatible with all Metabo HPT 18V/36V Lithium-Ion Slide Type Batteries for fade free power (batteries and charger sold separately)
- Features Brushless Motor Technology for more run time, increased power and extended durability with essentially no maintenance
- Standard mode is changeable from vibration frequency 1-5 (6,000-20,000 OPM) by adjusting the variable speed dial as needed
- Auto-mode lowers vibration, reduces noise and increases battery run time
- Soft start for user safety
- Tool-less blade change

#### Specifications

Volts	18
No-Load Speed (Std)	6,000 - 20,000 OPM
No-Load Speed (Auto)	15,000 - 20,000 OPM
Oscillating Angle	3.2°
Battery Type	Lithium Ion Slide
Weight (without battery)	2.9 lbs

#### Includes

Bi-Metal Plunge Cut Saw Blade

#### Optional

18V Li-Ion Slide Battery (BSL1830C)	339782M
18V Li-Ion Slide Battery (BSL1815X)	33353M
14.4V-18V Li-Ion Universal Rapid Charger	UC18YSL3



## GRINDING DUSTLESS ACCESSORIES



Compatible w/ G12SE3, G12SA4,  
G12SE3Q9M, G13SE3

### 377087M

**5" Hinged Dust Collection Shroud**  
*For Dust Control when Grinding Concrete,  
Masonry, & Mortar*

- Easily attaches to a vacuum or dust extractor
- Front nose easily swings away for edge work
- Perfect for cleaning, leveling spots, removing epoxies, urethanes, paint, and other coatings
- Use dust extractor with 125+ CFM



Compatible w/ G12SE3, G12SA4,  
G12SE3Q9M, G13SE3

### 377085M

**5" Dust Collection Cutting Guard**  
*For Dust Control when Cutting Concrete,  
Masonry & Mortar*

- Easily attached to a vacuum or dust extractor
- Extraction hood with plunge function and optimized flow channel
- Compact construction form table can be removed without tools for more flexibility
- Cutting depth adjustable without tools
- Use dust extractor with 125+ CFM



Compatible w/ G12SE3, G12SA4,  
G12SE3Q9M, G13SE3

### 377086M

**5" Dust Collection Cutting Guard w/ Wheels**  
*For Dust Control when Cutting Concrete,  
Masonry & Mortar*

- Easily attached to a vacuum or dust extractor
- Extraction hood with plunge function and optimized flow channel
- Compact construction form table can be removed without tools for more flexibility
- Cutting depth adjustable without tools
- Guide rollers for easy, precise feed
- Use dust extractor with 125+ CFM





# WHY CHOOSE METABO HPT? CORDLESS MULTIVOLT SYSTEM?



## A COMPREHENSIVE TOOL FAMILY THAT IS CONSTANTLY EXPANDING

- 18V Sub-Compact tools are our smallest and lightest series of tool, engineered for dependability on the professional jobsite.
- 18V Standard tools are a go-to for professional jobsites or DIY projects at home.
- 36V tools are our most powerful line of cordless tools, delivering power and speed with the freedom from cords or compressors!

## KEY MULTIVOLT BENEFITS

- 36V MultiVolt Tools outperform corded tools delivering extreme performance
- 36V MultiVolt batteries are backward compatible with Metabo-HPT 18V slide type cordless tools (4.0Ah runtime in 36V provides 8.0Ah runtime in a 18V tool)



## KEY AC ADAPTER & CHARGER BENEFITS

- Your choice of cordless or corded in one tool! The best of both worlds
- Use MV battery for convenience, portability or safety
- Use the AC adapter to finish the job when battery is depleted
- Use AC adapter when corded power is available to save on battery time
- Built-in inverter provides additional benefit of using extra long extension cords with the adapter
- Fast charger can fully charge a 18V 3.0Ah battery in 23 min. Included LED and sound feedback when fully charged








## 36V MULTIVOLT™ BATTERIES

	Voltage	Stock Code	Number	Type	Amp Hours	Weight
 <b>372121M</b>	36 V / 18 V	372121M	BSL36B18	Li-Ion Slide	4.0Ah / 8.0Ah	2.3 lbs
 <b>371751M</b>		371751M	BSL36A18	Li-Ion Slide	2.5Ah / 5.0Ah	1.54 lbs



All 36V batteries have a charge indicator




## 18V MULTIVOLT™ BATTERIES

	Voltage	Stock Code	Number	Type	Amp Hours	Weight
 <b>333353M</b>	18 V	333353M	BSL1815X	Li-Ion Slide	1.5Ah	1.1 lbs
 <b>377797M</b>	18V	377797M	BSL1820M	Li-Ion Slide	2.0Ah	
 <b>339782M</b>	18 V	339782M	BSL1830C	Compact Li-Ion Slide	3.0Ah	0.97 lbs

## AC ADAPTER

	Voltage	Stock Code	Number	Type	Amp Hours	Weight
 <b>ET36A</b>	36 V	ET36A	—	AC/DC Adapter with Cord	—	5.5 lbs

## CHARGERS

	Stock Code	Voltage	Time	Type	Battery
 <b>UC18YKSL</b>	UC18YKSL	18 V	40 - 150 Min	Li-Ion Slide	333353M / 339782M
 <b>UC18YSL3</b>	UC18YSL3	18 V	15 - 38 Min	Li-Ion Slide	339782M / 371751M / 372121M
 <b>UC18YTSL</b>	UC18YTSL	14.4V/18V/36V	30-120 Min	Li-Ion Slide	371751M / 339782M / 333353M / 372121M (Charges up to 4 batteries)

**UC18YKSL**  
Basic charger for 18V battery

**UC18YSL3**  
Fast charger for all 36V and 18V batteries, with USB port to charge phone.  
LED & sound feedback for full charge

**UC18YTSL**

## STARTER KITS

### UC18YSL3B1

36V/18V MultiVolt™ Lithium Ion Slide Battery & Charger Starter Kit

2 YEAR LEAD-ACID WARRANTY  
1 YEAR CHARGER WARRANTY



### FEATURES

#### BACKWARDS COMPATIBLE

- Works with MultiVolt™ tools as well as existing Metabo HPT 18V Li-Ion Slide Tools

#### MULTIPLEX PROTECTION CIRCUIT

- Prevents over-load, over-charge & over-discharge

#### RAPID CHARGER

- Charges 4.0Ah MultiVolt™ Battery in approximately 52 minutes for less down time

#### INCLUDES

- 36V/18V MultiVolt battery (4.0Ah/8.0Ah) (372121M)
- Rapid charger (UC18YSL3M)

### UC18YSL3S

18V Lithium Ion Slide Battery & Charger Combo Kit



UC18YSL3S

### FEATURES

#### USB PORT

- Charges smartphones and other mobile devices for added convenience

#### MULTIPLEX PROTECTION CIRCUIT

- Prevents over-load, over-charge & over-discharge

#### RAPID CHARGER

- Charges 6.0Ah 18V Lithium-Ion Battery in less than 38 minutes

#### INCLUDES


- (2) 18V MultiVolt batteries (3.0Ah) (339782M)
- Rapid charger (UC18YSL3M)

### 2-CUTTER SDS+ ROTARY HAMMER DRILL BITS FOR DH26PF, DH28PFY, DH18DBDL

SKU	DESCRIPTION
728870M	5/32" x 4-1/4" x 2" 2 Cutter SDS Plus Drill Bit
725010M	5/32" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit
725008M	3/16" x 2" x 4-1/4" 2 Cutter SDS Plus Drill Bit
725011M	3/16" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit
725012M	3/16" x 6" x 8-1/4" 2 Cutter SDS Plus Drill Bit
725013M	3/16" x 8" x 10" 2 Cutter SDS Plus Drill Bit
725014M	3/16" x 10" x 12" 2 Cutter SDS Plus Drill Bit
725015M	3/16" x 12" x 14" 2 Cutter SDS Plus Drill Bit
728871M	3/16" x 16" x 14" 2 Cutter SDS Plus Drill Bit
725016M	7/32" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit
725017M	7/32" x 6" x 8-1/4" 2 Cutter SDS Plus Drill Bit
725018M	7/32" x 9" x 11" 2 Cutter SDS Plus Drill Bit
725019M	7/32" x 12" x 14" 2 Cutter SDS Plus Drill Bit
725020M	7/32" x 14" x 16" 2 Cutter SDS Plus Drill Bit
725133M	1/4" x 2" x 4-1/4" 2 Cutter SDS Plus Bit
725021M	1/4" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit
725022M	1/4" x 6" x 8-1/4" 2 Cutter SDS Plus Drill Bit
725023M	1/4" x 9" x 11" 2 Cutter SDS Plus Drill Bit
725024M	1/4" x 12" x 14" 2 Cutter SDS Plus Drill Bit
725025M	SDS+1/4" x 14" x 16" 2 Cutter SDS Plus Drill Bit
725026M	SDS+1/4" x 18" x 20" 2 Cutter SDS Plus Drill Bit
725027M	5/16" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit
725028M	5/16" x 10" x 12" 2 Cutter SDS Plus Drill Bit
725029M	3/8" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit
725030M	3/8" x 6" x 8-1/4" 2 Cutter SDS Plus Drill Bit
725065M	3/8" x 8" x 10-1/4" 2 Cutter SDS Plus Drill Bit
725031M	3/8" x 10" x 12-1/4" 2 Cutter SDS Plus Bit

SKU	DESCRIPTION
725032M	3/8" x 16" x 18" 2 Cutter SDS Plus Drill Bit
725033M	3/8" x 22" x 24" 2 Cutter SDS Plus Drill Bit
725034M	7/16" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit
725035M	7/16" x 10x12-1/4" 2 Cutter SDS Plus Drill Bit
728872M	7/16" x 18x162 Cutter SDS Plus Drill Bit
725036M	1/2" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit
725037M	1/2" x 8" x 10-1/4" 2 Cutter SDS Plus Drill Bit
725038M	1/2" x 10" x 12-1/4" 2 Cutter SDS Plus Bit
725039M	1/2" x 16" x 18" 2 Cutter SDS Plus Drill Bit
725040M	1/2" x 22" x 24" 2 Cutter SDS Plus Drill Bit
725041M	9/16" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit
725042M	9/16" x 8" x 10-1/4" 2 Cutter SDS Plus Drill Bit
728873M	9/16" x 10" x 12-1/4" 2 Cutter SDS Plus Drill Bit
728874M	9/16" x 18" x 16" 2 Cutter SDS Plus Drill Bit
725200M	5/8" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit
725043M	5/8" x 6" x 8" 2 Cutter SDS Plus Drill Bit
725044M	5/8" x 10" x 12" 2 Cutter SDS Plus Drill Bit
725045M	5/8" x 16" x 18" 2 Cutter SDS Plus Drill Bit
728875M	5/8" x 24" x 22" 2 Cutter SDS Plus Drill Bit
725046M	11/16" x 6" x 8" 2 Cutter SDS Plus Drill Bit
725047M	11/16" x 10" x 12" 2 Cutter SDS Plus Drill Bit
725049M	3/4" x 6" x 8" 2 Cutter SDS Plus Drill Bit
728876M	3/4" x 10" x 8" 2 Cutter SDS Plus Drill Bit
725050M	3/4" x 10" x 12" 2 Cutter SDS Plus Drill Bit
725051M	3/4" x 16" x 18" 2 Cutter SDS Plus Drill Bit
728877M	3/4" x 24" x 22" 2 Cutter SDS Plus Drill Bit
728866M	13/16" x 16" x 18" SDS Plus Bit
728879M	7/8" x 10" x 8" 2 Cutter SDS Plus Drill Bit
725053M	7/8" x 10" x 12-1/2" 2 Cutter SDS Plus Drill Bit
725054M	7/8" x 16" x 18" 2 Cutter SDS Plus Drill Bit
725055M	1" x 6" x 8" 2 Cutter SDS Plus Drill Bit
725056M	1" x 8" x 10" 2 Cutter SDS Plus Drill Bit
725057M	1" x 10" x 12" 2 Cutter SDS Plus Drill Bit
725058M	1" x 16" x 18" 2 Cutter SDS Plus Drill Bit
725611M	2 Cutter SDS Plus Drill Bit 5 Piece Set

### SHANKS



### 2-CUTTER SDS PLUS DRILL BITS - BULK PACK

SKU	DESCRIPTION
725010BM	5/32" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit 25 Piece Bulk Pack
725008BM	3/16" x 2" x 4-1/4" 2 Cutter SDS Plus Drill Bit 25 Piece Bulk Pack
725011BM	3/16" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit 25 Piece Bulk Pack
725013BM	3/16" x 10" x 8" 2 Cutter SDS Plus Drill Bit 25 Piece Bulk Pack
725014BM	3/16" x 10" x 12" 2 Cutter SDS Plus Drill Bit 25 Piece Bulk Pack
725015BM	3/16" x 12" x 14" 2 Cutter SDS Plus Drill Bit 25 Piece Bulk Pack
728871BM	3/16" x 14" x 16" 4 Cutter SDS Plus Bit 25 Piece Bulk Pack
725016BM	7/32" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit 25 Piece Bulk Pack
725017BM	7/32" x 8-1/4" x 6" 2 Cutter SDS Plus Drill Bit 25 Piece Bulk Pack
725018BM	7/32" x 9" x 11" 2 Cutter SDS Plus Bit 25 Piece Bulk Pack
725020BM	7/32" x 16" x 14" 2 Cutter SDS Plus Drill Bit 25 Piece Bulk Pack
725133BM	1/4" x 2" x 4-1/4" 2 Cutter SDS Plus Bit 25 Piece Bulk Pack
725021BM	1/4" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit 25 Piece Bulk Pack
725022BM	1/4" x 6" x 8-1/4" Bit 25 Piece Bulk Pack
725024BM	1/4" x 12" x 14" 2 Cutter SDS Plus Drill Bit
725027BM	5/16" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit 25 Piece Bulk Pack
725029BM	3/8" x 4" x 6-1/4" 2 Cutter SDS Plus Drill Bit 25 Piece Bulk Pack
725030BM	3/8" x 6" x 8-1/4" x 6" 2 Cutter SDS Plus Drill Bit 25 Piece Bulk Pack
725031BM	3/8" x 10" x 12-1/4" Bit 25 Piece Bulk Pack
725036BM	1/2" x 4" x 6-1/4" 2 Cutter SDS Plus Bit 20 Piece Bulk Pack
725038BM	1/2" x 10" x 12-1/4" 2 Cutter SDS Plus Bit 20 Piece Bulk Pack
725043BM	5/8" x 8" x 6" 2 Cutter SDS Plus Drill Bit 15 Piece Bulk Pack

### 2-CUTTER HEX DRILL BITS & BULK

SKU	DESCRIPTION
725681M	5/32" x 3-1/8" x 6" 2 Cutter SDS Plus Hex Shank Drill Bit
725682M	5/32" x 4-1/8" x 7" 2 Cutter SDS Plus Hex Shank Drill Bit
725684M	3/16" x 3-1/8" x 6" 2 Cutter SDS Plus Hex Shank Drill Bit
725685M	3/16" x 4-1/8" x 7" 2 Cutter SDS Plus Hex Shank Drill Bit
725682B25M	5/32" x 7" 2 Cutter SDS Plus Hex Shank Drill Bit 25 Piece Bulk Pack
725685B25M	3/16" x 7" 2 Cutter SDS Plus Hex Shank Drill Bit 25 Piece Bulk Pack
725615M	2 Cutter SDS Plus Hex Shank 5 Piece Drill Bit Kit



**4 CUTTER SDS+  
DRILL BITS - BULK  
PACKS**

SKU	DESCRIPTION
728910M	5/8" x 6" x 8" SDS Plus 4 Cutter Drill Bit
728911M	5/8" x 8" x 10" SDS Plus 4 Cutter Drill Bit
728912M	5/8" x 12" x 10" SDS Plus 4 Cutter Drill Bit
728913M	5/8" x 16" x 18" SDS Plus 4 Cutter Drill Bit
728916M	11/16" x 10" x 12" SDS Plus 4 Cutter Drill Bit
728917M	11/16" x 16" x 18" SDS Plus 4 Cutter Drill Bit
728919M	3/4" x 6" x 8" SDS Plus 4 Cutter Drill Bit
728920M	3/4" x 6" x 10" SDS Plus 4 Cutter Drill Bit
728921M	3/4" x 10" x 12" SDS Plus 4 Cutter Drill Bit
728922M	3/4" x 16" x 18" SDS Plus 4 Cutter Drill Bit
728925M	27/32" x 8" x 10" SDS Plus 4 Cutter Drill Bit
728928M	7/8" x 8" x 10" SDS Plus 4 Cutter Drill Bit
728929M	7/8" x 10" x 12" SDS Plus 4 Cutter Drill Bit
728930M	7/8" x 16" x 18" SDS Plus 4 Cutter Drill Bit
728933M	1" x 8" x 10" SDS Plus 4 Cutter Drill Bit
728934M	1" x 10" x 12" SDS Plus 4 Cutter Drill Bit
728935M	1" x 16" x 18" SDS Plus 4 Cutter Drill Bit
728937M	1-7/64" x 16" x 18" SDS Plus 4 Cutter Drill Bit
728939M	1-1/8" x 8" x 10" SDS Plus 4 Cutter Drill Bit
728940M	1-1/8" x 16" x 18" SDS Plus 4 Cutter Drill Bit
728942M	1-3/16" x 8" x 10" SDS Plus 4 Cutter Drill Bit
728943M	1-3/16" x 16" x 18" SDS Plus 4 Cutter Drill Bit
728945M	1-1/4" x 16" x 18" SDS Plus 4 Cutter Drill Bit

**DEMOLITION BITS  
& CHISELS  
DH40MC, DH40MEY, DH52MEY,  
H41MB2, H45MEY, H60MEY**

SKU	DESCRIPTION
724963M	12" Bull Point SDS MAX Demo Bit
724964M	18" Bull Point SDS MAX Demo Bit
724961M	1" x 12" Flat Chisel SDS MAX Demo Bit
724962M	1" x 18" Flat Chisel SDS MAX Demo Bit
724965M	2" x 12" Flat Chisel SDS MAX Demo Bit
724966M	3" x 12" Flat Chisel SDS MAX Demo Bit
728820M	4 1/2" x 15" Asphalt Cutter SDS MAX Demo Bit
724967M	1 1/8" x 12" Slotting Tool SDS MAX Demo Bit
724958M	5/8" Ground Rod Driver SDS MAX Demo Bit
728800M	5" x 5" Tamper Plate 3/4" Hex 21/32" Round Shank Demo Bit
728821M	12" Taper Plate Shank SDS MAX Demo Bit
724960M	1 3/4" x 10" Bussing Tool SDS MAX Demo Bit
724969M	5" x 7" x 16" Clay Spade SDS MAX Demo Bit
728836M	6" x 25" 2 Piece Floor Scraper SDS MAX Demo Bit
728854M	Floor Scraper Replacement Head for Use With 728815,728836,728842,728822
728828M	SDSMAX 1-1/8"x12"SEAM TOOL 45D
728829M	1 1/2" x 12" Flat Chisel SDS MAX Demo Bit
728830M	2" x 12" Scraping Chisel SDS MAX Shank Demo Bit

**DEMOLITION BITS  
& CHISELS BULK**

SKU	DESCRIPTION
724961BM	1" x 12" Flat Chisel SDS MAX Demo Bit 25 Piece Bulk Pack
724962BM	1" x 18" Flat Chisel SDS MAX Demo Bit 25 Piece Bulk Pack
724963BM	12" Bull Point SDS MAX Demo Bit 25 Piece Bulk Pack
724964BM	18" Bull Point SDS MAX Demo Bit 25 Piece Bulk Pack



**3-BY-12" SDS MAX  
SCALING HAMMER CHISEL  
724966M**

**SDS+ DEMOLITION  
CHISELS**

SKU	DESCRIPTION
725198M	10" Flat Narrow SDS Plus Chisel
725199M	3/4" x 10" Flat Narrow SDS Plus Chisel
725202M	1-1/2" x 10" Flat Wide SDS Plus Chisel
729180M	10" SDS plus Bull Point Chisel
729183M	10" SDS Plus Tile Removing Chisel
729185M	3/4" SDS Plus Stubby Flat Chisel
729186M	SDS Plus Stubby Bull Point Chisel
729187M	SDS Plus 1-1/2" Stubby Flat Chisel
729188M	3" x 6-1/2" SDS Plus Scraping Chisel
729189M	10" SDS Plus Viper Flat Chisel

**SDS MAX SHANK  
ROTARY HAMMER  
DRILL BITS**

**DH40MC, DH40MEY, DH45MEY,  
DH52MEY**

**2-CUTTER  
DRILL BITS**

SKU	DESCRIPTION
724970M	1/2" x 7-1/2" x 13" SDS Max 2 Cutter Drill Bit
724971M	1/2" x 15-1/2" x 21" SDS Max 2 Cutter Drill Bit
728960M	1/2" x 24" x 29" SDS Max 2 Cutter Drill Bit
728961M	1/2" x 31" x 36" SDS Max 2 Cutter Drill Bit
724972M	9/16" x 7-1/2" x 13" SDS Max 2 Cutter Drill Bit
724973M	9/16" x 15-1/2" x 21" SDS Max 2 Cutter Drill Bit

### 4-CUTTER SDS MAX DRILL BITS

SKU	DESCRIPTION
724974M	5/8" x 7 1/2" x 13" SDS Max 4 Cutter Drill Bit
724978M	3/4" x 8" x 13" SDS Max 4 Cutter Drill Bit
724975M	5/8" x 15 1/2" x 21" SDS Max 4 Cutter Drill Bit
724976M	5/8" x 30 1/2" x 36" SDS Max 4 Cutter Drill Bit
724977M	11/16" x 15.5" x 21" SDS Max 4 Cutter Drill Bit
724978M	3/4" x 8" x 13" SDS Max 4 Cutter Drill Bit
724979M	3/4" x 17" x 21" SDS Max 4 Cutter Drill Bit
724980M	3/4" x 31x 36" SDS Max 4 Cutter Drill Bit
724981M	13/16" x 17" x 21" SDS Max 4 Cutter Drill Bit
724982M	27/32" x 17" x 21" SDS Max 4 Cutter Drill Bit
724983M	7/8" x 8" x 13" SDS Max 4 Cutter Drill Bit
724984M	7/8" x 17" x 21" SDS Max 4 Cutter Drill Bit
728967M	7/8" x 36" x 31" SDS Max 4 Cutter Drill Bit
724985M	1" x 8" x 13" SDS Max 4 Cutter Drill Bit
724986M	1" x 17" x 21" SDS Max 4 Cutter Drill Bit
724987M	1" x 31" x 36" SDS Max 4 Cutter Drill Bit

SKU	DESCRIPTION
724989M	1-1/8" x 12" x 17" SDS Max 4 Cutter Drill Bit
724990M	1-1/8" x 17" x 21" SDS Max 4 Cutter Drill Bit
728969M	1-1/8" x 31" x 36" SDS Max 4 Cutter Drill Bit
728970M	1-3/16" x 18" X 23" SDS Max 4 Cutter Drill Bit
724991M	1-1/4" x 10" x 15" SDS Max 4 Cutter Drill Bit
724992M	1-1/4" x 18" x 23" SDS Max 4 Cutter Drill Bit
724993M	1-1/4" x 31" x 36" SDS Max 4 Cutter Drill Bit
724994M	1-3/8" x 18" x 23" SDS Max 4 Cutter Drill Bit
728972M	1-3/8" x 36" X 31" SDS Max 4 Cutter Drill Bit
724995M	1-7/16" x 18" x23" SDS Max 4 Cutter Drill Bit
728974M	1-1/2" x 17" x 12" SDS Max 4 Cutter Drill Bit
724996M	1-1/2" x 18" x 23" SDS Max 4 Cutter Drill Bit
724997M	1-9/16" x18" x23" SDS Max 4 Cutter Drill Bit
724998M	1-3/4" x 18" x 23" SDS Max 4 Cutter Drill Bit
724999M	2" x 18" x 23" SDS Max 4 Cutter Drill Bit

### SPLINE SHANK ROTARY HAMMER

DH38YE2

### 2 CUTTER DRILL BITS

SKU	DESCRIPTION
725059M	3/8" x 5" x 10" 2 Cutter Spline Shank Drill Bit
729000M	3/8" x 8" x 13" 2 Cutter Spline Shank Drill Bit
729001M	3/8" x 11" x 16" 2 Cutter Spline Shank Drill Bit
729003M	7/16" x 8" x 13" 2 Cutter Spline Shank Drill Bit
725060M	1/2" x 5" x 10" 2 Cutter Spline Shank Drill Bit
725061M	1/2" x 8" x 13" 2 Cutter Spline Shank Drill Bit
725062M	1/2" x 11" x 16" 2 Cutter Spline Shank Drill Bit
725063M	1/2" x 17" x 22" 2 Cutter Spline Shank Drill Bit
728946M	1/2" x 24" x 29" 2 Cutter Spline Shank Drill Bit
728947M	1/2" x 31" x 36" 2 Cutter Spline Shank Drill Bit
725064M	9/16" x 5" x 10" 2 Cutter Spline Shank Drill Bit
729005M	9/16" x 8" x 13" 2 Cutter Spline Shank Drill Bit
729006M	9/16" x 11" x 16" 2 Cutter Spline Shank Drill Bit
729007M	9/16" x 17" x 22" 2 Cutter Spline Shank Drill Bit
729008M	9/16" x 24" x 29" 2 Cutter Spline Shank Drill Bit
725066M	5/8" x 5" x 10" 2 Cutter Spline Shank Drill Bit
729010M	5/8" x 8" x 13" 2 Cutter Spline Shank Drill Bit
725067M	5/8" x 11" x 16" 2 Cutter Spline Shank Drill Bit
725068M	5/8" x 17" x 22" 2 Cutter Spline Shank Drill Bit
728948M	5/8" x 24" x 29" 2 Cutter Spline Shank bit
728949M	5/8" x 31" x 36" Bit2 Cutter Spline Shank Drill Bit
729012M	11/16" x 8" x 13" 2 Cutter Spline Shank Drill Bit
729013M	11/16" x 11" x 16" 2 Cutter Spline Shank Drill Bit
725069M	3/4" x 5" x 10" 2 Cutter Spline Shank Drill Bit
729015M	3/4" x 8" x 13" 2 Cutter Spline Shank Drill Bit

SKU	DESCRIPTION
725070M	3/4" x 11" x 16" 2 Cutter Spline Shank Drill Bit
725071M	3/4" x 17" x 22" 2 Cutter Spline Shank Drill Bit
729016M	3/4" x 24" x 29" 2 Cutter Spline Shank Drill Bit
729017M	3/4" x 31" x 36" 2 Cutter Spline Shank Drill Bit
729019M	7/8" x 8" x 13" 2 Cutter Spline Shank Drill Bit
725072M	7/8" x 11" x 16" 2 Cutter Spline Shank Drill Bit
725073M	7/8" x 17" x 22" 2 Cutter Spline Shank Drill Bit
729020M	7/8" x 31" x 36" 2 Cutter Spline Shank Drill Bit
729022M	1" x 8" x 13" 2 Cutter Spline Shank Drill Bit
725074M	1" x 11" x 16" 2 Cutter Spline Shank Drill Bit
725075M	1" x 17" x 22" 2 Cutter Spline Shank Drill Bit
729023M	1" x 24" x 29" 2 Cutter Spline Shank Drill Bit
729024M	1" x 31" x 36" 2 Cutter Spline Shank Drill Bit
725076M	1-1/8" x 11" x 16" 2 Cutter Spline Shank Drill Bit
725077M	1-1/8" x 17" x 22" 2 Cutter Spline Shank Drill Bit
725078M	1-1/4" x 11" x 16" 2 Cutter Spline Shank Drill Bit
725079M	1-1/4" x 17" x 22" 2 Cutter Spline Shank Drill Bit
729026M	1-1/4" x 24" x 29" 2 Cutter Spline Shank Drill Bit
725080M	1-3/8" x 11" x 16" 2 Cutter Spline Shank Drill Bit
725081M	1-3/8" x 17" x 22" 2 Cutter Spline Shank Drill Bit
985376M	1-1/2" x 11" x 16" 2 Cutter Spline Shank Drill Bit
725082M	1-1/2" x 17" x 22" 2 Cutter Spline Shank Drill Bit
729028M	1-3/4" x 17" x 22" 2 Cutter Spline Shank Drill Bit
729029M	2" x 17" x 22" 2 Cutter Spline Shank Drill Bit



**DEMOLITION BITS  
& CHISELS (SPLINE)**  
DH38YE2

SKU	DESCRIPTION
985383M	12" Bull Point 3/4" Hex 21/32" Round Shank Demo Bit
985398M	18" Bull Point 3/4" Hex 21/32" Round Shank Demo Bit
985381M	1" x 12" Flat Chisel 3/4" Hex 21/32" Round Shank Demo Bit
985382M	1" x 18" Flat Chisel 3/4" Hex 21/32" Round Shank Demo Bit
985384M	1.5" x 12" Flat Chisel 3/4" Hex 21/32" Round Shank Demo Bit
985385M	2" x 12" Flat Chisel 3/4" Hex 21/32" Round Shank Demo Bit
724890M	3" x 18" Flat Chisel 3/4" Hex 21/32" Round Shank Demo Bit
728805M	4.5" x 15" Asphalt Chisel 3/4" Hex 21/32" Round Shank Demo Bit
725132M	12" Slotting Tool 3/4" Hex 21/32" Round Shank Demo Bit
728802M	12" Seam Toom 3/4" Hex 21/32" Round Shank Demo Bit
724891M	Ground Rod Driver 3/4" Hex 21/32" Round Shank Demo Bit
728800M	5" x 5" Tamper Plate 3/4" Hex 21/32" Round Shank Demo Bit
728803M	Tamper Plate Shank 3/4" Hex 21/32" Round Shank Demo Bit
728801M	10" Bushing Tool 3/4" Hex 21/32" Round Shank Demo Bit
985386M	5" x &" 16" Clay Spade 3/4" Hex 21/32" Round Shank Demo Bit
728804M	Floor Scraper 3/4" Hex 21/32" Round Shank Demo Bit
728854M	Floor Scraper Replacement Head for Use With 728815,728836,728842,728822

**DEMOLITION BITS  
& CHISELS - BULK**

SKU	DESCRIPTION
985383BM	12" Bull Point 3/4" Hex 21/32" Round Shank Demo Bit 25 Piece Bulk Pack
985398BM	18" Bull Point 3/4" Hex 21/32" Round Shank Demo Bit 25 Piece Bulk Pack
985381BM	1" x 12" Flat Chisel 3/4" Hex 21/32" Round Shank Demo Bit 25 Piece Bulk Pack
985382BM	1" x 18" Flat Chisel 3/4" Hex 21/32" Round Shank Demo Bit 25 Piece Bulk Pack
724890BM	3" x 18" Flat Chisel 3/4" Hex 21/32" Round Shank Demo Bit 25 Piece Bulk Pack



**7/8" X 31" X 36"**  
**SDS MAX 4 CUTTER DRILL BIT**  
728967M



**5" X 22" 1 PIECE**  
**SPLINE SHANK CORE BIT**  
725775M

**1 PIECE SDS MAX  
HOLLOW CORE BITS**

SKU	DESCRIPTION
724920M	1-1/2" x 11-3/8" 1 Piece Hollow SDS Max Core Bit
724921M	1-1/2" x 22" 1 Piece Hollow SDS Max Core Bit
724922M	1-3/4" x 11-3/8" 1 Piece Hollow SDS Max Core Bit
724923M	1-3/4" x 22" 1 Piece Hollow SDS Max Core Bit
724924M	2" x 11-3/8" 1 Piece Hollow SDS Max Core Bit
724925M	2" x 22" 1 Piece Hollow SDS Max Core Bit
724926M	2-5/8" x 11-3/8" 1 Piece Hollow SDS Max Core Bit
724927M	2-5/8" x 22" 1 Piece Hollow SDS Max Core Bit
724928M	3-1/8" x 11-3/8" 1 Piece Hollow SDS Max Core Bit
724929M	3-1/8" x 22" 1 Piece Hollow SDS Max Core Bit
724930M	3-1/2" x 11-3/8" 1 Piece Hollow SDS Max Core Bit
724931M	3-1/2" x 22" 1 Piece Hollow SDS Max Core Bit
724932M	4" x 11-3/8" 1 Piece Hollow SDS Max Core Bit
724933M	4" x 22" 1 Piece Hollow SDS Max Core Bit
724934M	5" x 11-3/8" 1 Piece Hollow SDS Max Core Bit
724937M	6" x 22" 1 Piece Hollow SDS Max Core Bit

### 1 PIECE HOLLOW SPLINE SHANK CORE BITS

SKU	DESCRIPTION
725760M	1-1/2" x 12" 1 Piece Hollow Spline Shank Core Bit
725761M	1-1/2" x 22" 1 Piece Hollow Spline Shank Core Bit
725762M	1-3/4" x 11-3/8" 1 Piece Hollow Spline Shank Core Bit
725763M	1-3/4" x 22" 1 Piece Hollow Spline Shank Core Bit
725765M	2" x 22" 1 Piece Hollow Spline Shank Core Bit
725766M	2-5/8" x 11-3/8" 1 Piece Hollow Spline Shank Core Bit
725767M	2-5/8" x 22" 1 Piece Hollow Spline Shank Core Bit
725768M	3-1/8" x 11-3/8" 1 Piece Hollow Spline Shank Core Bit
725769M	3-1/8" x 22" 1 Piece Hollow Spline Shank Core Bit
725770M	3-1/2" x 11-3/8" 1 Piece Hollow Spline Shank Core Bit
725771M	3-1/2" x 22" 1 Piece Hollow Spline Shank Core Bit
725772M	4" x 11-3/8" 1 Piece Hollow Spline Shank Core Bit
725773M	4" x 22" 1 Piece Hollow Spline Shank Core Bit
725774M	5" x 11-3/8" 1 Piece Hollow Spline Shank Core Bit
725775M	5" x 22" 1 Piece Hollow Spline Shank Core Bit
725777M	6" x 22" 1 Piece Hollow Spline Shank Core Bit



**20" BULL POINT 1-1/8" HEX SHANK DEMO BIT**  
985230BM

### 1-1/8" HEX SHANK DEMOLITION BITS H65SD3, H90SG

SKU	DESCRIPTION
985230M	20" Bull Point 1 1/8" Hex Shank Demo Bit
985231M	1 3/8" x 20" Cold Chisel 1 1/8" Hex Shank Demo Bit
985232M	3" x 20" Scaling Chisel 1 1/8" Hex Shank Demo Bit
725130M	5" x 17" Asphalt Cutter 1 1/8" Hex Shank Demo Bit
725131M	1" Ground Rod Driver 1 1/8" Hex Shank Demo Bit
985233M	5 1/2" x 20" Clay Spade 1 1/8" Hex Shank Demo Bit
728860M	8" x 8" Square Tamper Plate 1 1/8" Hex Shank Demo Bit
944966M	1-1/8HEXRND TAMPER PLATE SHANK
207001M	6" x 6" Square Tamper Plate 1 1/8" Hex Shank Demo Bit
207002M	15" Tamper Plate Shank Adapter 1 1/8" Hex Shank Demo Bit
957154M	1-1/8HEXRND 3"x16" CLAY SPADE
728815M	2 Piece Floor Scraper 3/4" Hex 21/32" Round Shank Demo Bit

### DEMOLITIONS BULK PACK

SKU	DESCRIPTION
985230BM	20" Bull Point 1 1/8" Hex Shank Demo Bit 8 Piece Bulk Pack
985231BM	1 3/8" x 20" Cold Chisel 1 1/8" Hex Shank Demo Bit 8 Piece Bulk Pack

## METABO HPT FACTORY SERVICE REPAIRS



*Sending your tool for repair has never been so easy! Select your tool and process your order online, use the supplied shipping label to expedite your tool to us. We will take care of the rest! Your tool will be sent back to you in no time. In addition to fixing the reported problem, we will proceed to a full repair and maintenance of your tool.*

SELECT TERMS & CONDITIONS APPLY

### THIS SERVICE OFFERS YOU THE FOLLOWING BENEFITS:

- Repairs will be completed in 5 days or less (Upon Receipt)
- Free FedEx labels to and from service center for warranty repairs on select models
- Package your tool and drop off at any FedEx shipping locations nationwide
- Repairs will be made by factory trained technicians with genuine Metabo HPT parts
- Metabo HPT will ship your repair back to the address you have provided

**WWW.METABOHPTFACTORYSERVICE.COM**



## 30-DAY SATISFACTION GUARANTEE

All Metabo HPT Power tools (hereinafter referred to as the "Product/s") are inspected before they leave the factories to ensure the highest quality for customers. If you are not satisfied with any Metabo HPT power tool within 30 days of purchase, please return the Product, complete with retail packaging and components, with receipt to the original place of purchase for a refund or replacement. See "Limited Warranty" below for accessories & parts and further warranty information. This guarantee excludes all Outdoor Power Equipment, including 2-cycle & 4-cycle gas powered equipment and battery- and electric-powered Outdoor Power Equipment.

## PROFESSIONAL 5-YEAR LIMITED WARRANTY

Products are warranted to the original purchaser to be free from defect in materials and workmanship for a period of five (5) years from the original purchase date. Some Products are excepted from this policy and have different limited warranty terms; see Exceptions below.

### EXCEPTIONS INCLUDE:

#### LIFETIME LITHIUM ION TOOL WARRANTY

The Product categories listed below are warranted to the original purchaser to be free from defect in materials and workmanship for a Lifetime from the original purchase date in non- industrial use; wear and tear is not covered. Lifetime is defined as the serviceable life of the Product. "Serviceable life of the Product" is defined as the period during which the supply of all components is available.

Band Saws • Circular Saws • Driver Drills • Hammer Drills • Impact Drivers • Impact Wrenches • Jig Saws • Nailers • Nibblers • Oscillating Tools • Planers • Reciprocating Saws • Right Angle Drills • Rotary Cut-Out Tools • Routers • Screwdrivers • Shears • Staplers • Workshop Blower

#### TWO YEAR WARRANTY

The product categories listed below are warranted to the original purchaser to be free from defect in materials and workmanship for a period of two (2) years from the original purchase date.

• Lithium Ion Batteries • Table Saws

#### ONE YEAR WARRANTY

The product categories listed below are warranted to the original purchaser to be free from defect in materials and workmanship for a period of one (1) year from the original purchase date.

• Air Compressors • Battery Chargers • Chop Saws • Collated Screw Fastening Systems • Corded Hammer Drills • Demolition Hammers • Grinders • Heat Guns • Masonry Cutters • Portable Cut-Off Saws • Radios • Reserve Air Tanks • Rotary Hammers • Vacuums

#### 90-DAY WARRANTY

The product categories listed below are warranted to the original purchaser to be free from defect in materials and workmanship for a period of ninety (90) days from the original purchase date.

• Blade Flanges • Bumpers • Carbon Brushes • Cords • Drive Belts • Driver Blades • Gaskets • O-Rings • Pistons • Pulleys • Seals • Tool Free Handles

#### 30-DAY WARRANTY

The product category listed below is warranted to the original purchaser to be free from defect in materials and workmanship for a period of thirty (30) days from the original purchase date.

• Accessory Products (*Excludes Fasteners*)

Warranty coverage is conditioned upon the purchaser furnishing Metabo HPT or its Authorized Service Center with adequate written proof of the original purchase date.

## OWNER'S REGISTRATION CARD

The return of the Owner's Registration Card (whether by mail or online) by the original purchaser within (10) days after the original purchase date is not a condition precedent to coverage under this warranty.

## WARRANTY COVERAGE

This Product is warranted by Koki Holdings America Ltd. against defective materials or workmanship. This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

*This warranty is void if: the defects in materials or workmanship or damages result from repairs or alterations which have been made or attempted by others or the unauthorized use of nonconforming parts; the damage is due to normal wear and tear, the damage is due to abuse (including but not limited to overloading of the Product beyond capacity), failure to operate the unit in the manner specified by the owner's manual, improper or lack of maintenance, improper set up or altered Products, neglect, accidents, acts of nature, improper adjustments, or if the damage is due to use of the Product after partial failure or use with improper accessories.*

Except as noted above, this warranty does not cover repair or replacement of wear and tear or maintenance items, including but not limited to: brushes, piston drivers, bumpers, and springs. Regular maintenance, adjustments to the alignment, and wear items are not the responsibility of Koki Holdings America and are not covered under this warranty.

## WARRANTY PERFORMANCE

DURING THE ABOVE WARRANTY PERIOD, SHOULD YOUR METABO HPT PRODUCT EXHIBIT A DEFECT IN MATERIALS OR WORKMANSHIP, SUCH DEFECT WILL BE REPAIRED WHEN THE COMPLETE METABO HPT PRODUCT AND PROOF OF PURCHASE IS RETURNED, POSTAGE PREPAID AND INSURED, TO A METABO HPT AUTHORIZED SERVICE CENTER. OTHER THAN THE POSTAGE AND INSURANCE REQUIREMENT, NO CHARGE WILL BE MADE FOR REPAIRS COVERED BY THIS WARRANTY.

## ONLINE PURCHASES

In the interest of maintaining the quality of Products sold we sell, and to protect consumers from counterfeit, improperly modified, or illegally acquired Products, this warranty will be void if the Product was purchased online and was not purchased from an "Authorized Online Retailer".

Warranty coverage for online purchases is conditioned upon the original purchaser furnishing Koki Holdings America or our Authorized Service Center with adequate written proof of the original purchase date as well as the entity or service that the Product was purchased from. Should the purchaser be unable to provide adequate proof of purchase date and/or source of purchase, fulfillment of warranty coverage will be left to our sole discretion. Please consult the Metabo HPT website for a full list of Authorized Online Retailers:

**USA:** [www.metabo-hpt.com](http://www.metabo-hpt.com), 1-800-829-4752

**CANADA:** [www.metabo-hpt.com/ca](http://www.metabo-hpt.com/ca), 1-800-970-2299

## WARRANTY DISCLAIMERS

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER EXPRESS WARRANTIES, WRITTEN OR ORAL. TO THE EXTENT PERMITTED BY LAW, KOKI HOLDINGS AMERICA DISCLAIMS ANY IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE; TO THE EXTENT SUCH DISCLAIMER IS NOT PERMITTED BY LAW, SUCH IMPLIED WARRANTIES ARE LIMITED TO THE DURATION OF THE APPLICABLE EXPRESS WARRANTY AS DESCRIBED ABOVE. IN NO EVENT SHALL KOKI HOLDINGS AMERICA BE LIABLE FOR ANY INCIDENTAL, SPECIAL, CONSEQUENTIAL OR PUNITIVE DAMAGES, OR FOR ANY COSTS, ATTORNEY FEES, EXPENSES, LOSSES OR DELAYS ALLEGED TO BE AS A CONSEQUENCE OF ANY DAMAGE TO, FAILURE OF, OR DEFECT IN ANY PRODUCT INCLUDING, BUT NOT LIMITED TO, ANY CLAIMS FOR LOSS OF PROFITS.

## LIMITATIONS ON WARRANTY DISCLAIMERS

Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

Please consult Metabo HPT's website for USA: [www.metabo-hpt.com](http://www.metabo-hpt.com) 1-800-829-4752 and for CANADA: [www.metabo-hpt.ca](http://www.metabo-hpt.ca) 1-800-970-2299 to locate your nearest service facility for warranty and non-warranty service on a Metabo HPT Product.

# metabo **HPT**

**Follow. Tweet. Subscribe.  
Review. Watch.**

Connect with Metabo HPT



@metabohpt



@MetaboHPT



@metabohptusa



@MetaboHPT



@metabo-hpt



**Read + Write Tool Reviews**

**[www.metabo-hpt.com](http://www.metabo-hpt.com)**

Please visit our website at  
[www.metabo-hpt.com](http://www.metabo-hpt.com)

For the dealer nearest you, call  
1-800-546-1666

For more information, call or email  
1-800-706-7337  
[reachcustomerservice@metabo-hpt.com](mailto:reachcustomerservice@metabo-hpt.com)

For technical service, call  
1-866-775-9429

Koki Holdings America Ltd.  
1111 Broadway Avenue  
Braselton, GA, 30517, USA

Koki Holdings Co., Ltd.  
Shinagawa Intercity Tower A, 20th Floor  
15-1, Konan 2-chome  
Minato-ku, Tokyo 108-6020, Japan



7 54005 09017 6